

Appendix

I. Publication

ClusterA: 196 publications*

ClusterB: 88 publications*

ClusterC: 40 publications*

ClusterD: 42 publications

*Cross citations have been subtracted.

Cluster A

RP1

- [1] P.J. Osswald, S. V Erhard, J. Wilhelm, H.E. Hoster, A. Jossen, Simulation and measurement of local potentials of modified commercial cylindrical cells: I. Cell preparation and measurements, *J. Electrochem. Soc.* 162 (2015) A2099–A2105. doi:10.1149/2.0561510jes.
- [2] S. V Erhard, P.J. Osswald, J. Wilhelm, A. Rheinfeld, S. Kosch, A. Jossen, Simulation and measurement of local potentials of modified commercial cylindrical cells II: Multi-dimensional modeling and validation, *J. Electrochem. Soc.* 162 (2015) A2707–A2719. doi:10.1149/2.0431514jes.
- [3] P.J. Osswald, S. V Erhard, A. Rheinfeld, B. Rieger, H.E. Hoster, A. Jossen, Temperature dependency of state of charge inhomogeneities and their equalization in cylindrical lithium-ion cells, *J. Power Sources.* 329 (2016) 546–552. doi:10.1016/j.jpowsour.2016.08.120.
- [4] P.J.J. Osswald, S.V. V Erhard, A. Noel, P. Keil, F.M.M. Kindermann, H. Hoster, A. Jossen, Current density distribution in cylindrical Li-Ion cells during impedance measurements, *J. Power Sources.* 314 (2016) 93–101. doi:10.1016/j.jpowsour.2016.02.070.
- [5] S. Narayanaswamy, S. Schlueter, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, H.E. Hoster, On Battery Recovery Effect in Wireless Sensor Nodes, *ACM Trans. Des. Autom. Electron. Syst.* 21 (2016) 1–28. doi:10.1145/2890501.
- [6] K. Maher, R. Yazami, Effect of overcharge on entropy and enthalpy of lithium-ion batteries, *Electrochim. Acta.* 101 (2013) 71–78. doi:10.1016/j.electacta.2012.11.057.
- [7] K. Maher, R. Yazami, A study of lithium ion batteries cycle aging by thermodynamics techniques, *J. Power Sources.* 247 (2014) 527–533. doi:10.1016/j.jpowsour.2013.08.053.
- [8] K. Maher, R. Yazami, A thermodynamic and crystal structure study of thermally aged lithium ion cells, *J. Power Sources.* (2014). doi:10.1016/j.jpowsour.2013.12.143.
- [9] P.J. Osswald, M. Del Rosario, J. Garche, A. Jossen, H.E. Hoster, Fast and Accurate Measurement of Entropy Profiles of Commercial Lithium-Ion Cells, *Electrochim. Acta.* (2015) 1–7. doi:10.1016/j.electacta.2015.01.191.
- [10] J. Geder, H.E. Hoster, A. Jossen, J. Garche, D.Y.W. Yu, Impact of active material surface area on thermal stability of LiCoO₂ cathode, *J. Power Sources.* 257 (2014) 286–292. doi:10.1016/j.jpowsour.2014.01.116.
- [11] J. Geder, J.H. Song, S.H. Kang, D.Y.W. Yu, Thermal stability of lithium-rich manganese-based cathode, *Solid State Ionics.* 268 (2014) 242–246. doi:10.1016/j.ssi.2014.05.020.
- [12] D.Y.W. Yu, M. Zhao, H.E. Hoster, Suppressing Vertical Displacement of Lithiated Silicon Particles in High Volumetric Capacity Battery Electrodes, *ChemElectroChem.* 2 (2015) 1090–1095. doi:10.1002/celec.201500133.

- [13] J. Zhu, Z. Lu, M.O. Oo, H.H. Hng, J. Ma, H. Zhang, Q. Yan, Synergetic approach to achieve enhanced lithium ion storage performance in ternary phased SnO₂-Fe₂O₃/rGO composite nanostructures, *J. Mater. Chem.* 21 (2011) 12770. doi:10.1039/c1jm12447a.
- [14] P.F. Teh, Y. Sharma, S.S. Pramana, M. Srinivasan, Nanoweb anodes composed of one-dimensional, high aspect ratio, size tunable electrospun ZnFe₂O₄ nanofibers for lithium ion batteries, *J. Mater. Chem.* 21 (2011) 14999. doi:10.1039/c1jm12088c.
- [15] J. Zhu, K. Sun, D. Sim, C. Xu, H. Zhang, H.H. Hng, Q. Yan, Nanohybridization of ferrocene clusters and reduced graphene oxides with enhanced lithium storage capability., *Chem. Commun. (Camb).* 47 (2011) 10383–5. doi:10.1039/c1cc13584h.
- [16] S. Saadat, J. Zhu, M.M. Shahjamali, S. Maleksaeedi, Y.Y. Tay, B.Y. Tay, H.H. Hng, J. Ma, Q. Yan, Template free electrochemical deposition of ZnSb nanotubes for Li ion battery anodes., *Chem. Commun. (Camb).* 47 (2011) 9849–51. doi:10.1039/c1cc13900b.
- [17] V. Aravindan, W.C. Ling, S. Madhavi, LiCrTiO₄: A high-performance insertion anode for lithium-ion batteries, *ChemPhysChem.* 13 (2012) 3263–3266. doi:10.1002/cphc.201200398.
- [18] C. Zhang, J. Chen, Y. Zeng, X. Rui, J. Zhu, W. Zhang, C. Xu, T.M. Lim, H.H. Hng, Q. Yan, A facile approach toward transition metal oxide hierarchical structures and their lithium storage properties, *Nanoscale.* 4 (2012) 3718. doi:10.1039/c2nr30525a.
- [19] Z. Lu, J. Zhu, D. Sim, W. Shi, Y.Y. Tay, J. Ma, H.H. Hng, Q. Yan, In situ growth of Si nanowires on graphene sheets for Li-ion storage, *Electrochim. Acta.* 74 (2012) 176–181. doi:10.1016/j.electacta.2012.04.046.
- [20] R. Cai, J. Chen, J. Zhu, C. Xu, W. Zhang, C. Zhang, W. Shi, H. Tan, D. Yang, H.H. Hng, T.M. Lim, Q. Yan, Synthesis of Cu x S/Cu Nanotubes and Their Lithium Storage Properties, *J. Phys. Chem. C.* 116 (2012) 12468–12474. doi:10.1021/jp303120d.
- [21] Y. Zeng, W. Zhang, C. Xu, N. Xiao, Y. Huang, D.Y.W. Yu, H.H. Hng, Q. Yan, One-step solvothermal synthesis of single-crystalline TiO₂ nanotubes with high lithium-ion battery performance., *Chemistry.* 18 (2012) 4026–30. doi:10.1002/chem.201103879.
- [22] W.A. Ang, N. Gupta, R. Prasanth, S. Madhavi, High-Performing Mesoporous Iron Oxalate Anodes for Lithium-Ion Batteries, *ACS Appl. Mater. Interfaces.* 4 (2012) 7011–7019. doi:10.1021/am3022653.
- [23] P. V. Prikhodchenko, J. Gun, S. Sladkevich, A.A. Mikhaylov, O. Lev, Y.Y. Tay, S.K. Batabyal, D.Y.W. Yu, Conversion of Hydroperoxoantimonate Coated Graphenes to Sb₂S₃@Graphene for a Superior Lithium Battery Anode, *Chem. Mater.* 24 (2012) 4750–4757. doi:10.1021/cm3031818.
- [24] L. Li, S. Peng, J. Wang, Y.L. Cheah, P. Teh, Y. Ko, C. Wong, M. Srinivasan, Facile Approach to Prepare Porous CaSnO₃ Nanotubes via a Single Spinneret Electrospinning Technique as Anodes for Lithium Ion Batteries, *ACS Appl. Mater. Interfaces.* 4 (2012) 6005–6012. doi:10.1021/am301664e.
- [25] W. Zhang, Y. Zeng, N. Xiao, H.H. Hng, Q. Yan, One-step electrochemical preparation of graphene-based heterostructures for Li storage, *J. Mater. Chem.* 22 (2012) 8455. doi:10.1039/c2jm16315b.
- [26] G. Zhang, L. Yu, H. Bin Wu, H.E. Hoster, X.W.D. Lou, Formation of ZnMn₂O₄ ball-in-ball hollow microspheres as a high-performance anode for lithium-ion batteries., *Adv. Mater.* 24 (2012) 4609–13. doi:10.1002/adma.201201779.
- [27] C. Xu, Y. Zeng, X. Rui, N. Xiao, J. Zhu, W. Zhang, J. Chen, W. Liu, H. Tan, H.H. Hng, Q. Yan, Controlled soft-template synthesis of ultrathin C@FeS nanosheets with high-Li-storage performance, *ACS Nano.* 6 (2012) 4713–4721. doi:10.1021/nn2045714.
- [28] C. Zhang, J. Zhu, X. Rui, J. Chen, D. Sim, W. Shi, H.H. Hng, T.M. Lim, Q. Yan, Synthesis of hexagonal-symmetry α -iron oxyhydroxide crystals using reduced graphene oxide as a surfactant and their Li storage properties, *CrystEngComm.* 14 (2012) 147–153. doi:10.1039/C1CE05965C.
- [29] D. Hao Sim, X. Rui, J. Chen, H. Tan, T.M. Lim, R. Yazami, H.H. Hng, Q. Yan, Direct growth of FeVO₄ nanosheet arrays on stainless steel foil as high-performance binder-free Li ion battery anode, *RSC Adv.* 2 (2012) 3630–3633. doi:10.1039/c2ra20058a.
- [30] L. Li, S. Peng, Y.L. Cheah, J. Wang, P. Teh, Y. Ko, C. Wong, M. Srinivasan, Electrospun eggroll-like CaSnO₃ nanotubes with high lithium storage performance, *Nanoscale.* 5 (2013) 134–138. doi:10.1039/c2nr32766j.

- [31] J. Wang, L. Li, C.L. Wong, L. Sun, Z. Shen, S. Madhavi, Controlled synthesis of α -FeOOH nanorods and their transformation to mesoporous α -Fe₂O₃, Fe₃O₄@C nanorods as anodes for lithium ion batteries, *RSC Adv.* 3 (2013) 15316. doi:10.1039/c3ra41886c.
- [32] L. Zhang, G. Zhang, H. Bin Wu, L. Yu, Hierarchical Tubular Structures Constructed by Carbon-Coated SnO₂ Nanoplates for Highly Reversible Lithium Storage, *Adv. Mater.* 25 (2013) 2589–2593. doi:10.1002/adma.201300105.
- [33] W.A. Ang, N. Gupta, R. Prasanth, H.H. Hng, S. Madhavi, Facile synthesis and electrochemical properties of alpha-phase ferric oxide hematite cocoons and rods as high-performance anodes for lithium-ion batteries, *J. Mater. Res.* 28 (2013). doi:10.1557/jmr.2013.7.
- [34] L. Li, Y. Cheah, Y. Ko, P. Teh, G. Wee, C. Wong, S. Peng, M. Srinivasan, The facile synthesis of hierarchical porous flower-like NiCo₂O₄ with superior lithium storage properties, *J. Mater. Chem. A.* 1 (2013) 10935. doi:10.1039/c3ta11549f.
- [35] J. Zhu, D. Yang, X. Rui, D. Sim, H. Yu, H.E. Hoster, P.M. Ajayan, Q. Yan, Facile preparation of ordered porous graphene-metal Oxide@C binder-free electrodes with high Li storage performance, *Small.* 9 (2013) 3390–3397. doi:10.1002/sml.201300755.
- [36] W.A. Ang, Y.L. Cheah, C.L. Wong, R. Prasanth, H.H. Hng, S. Madhavi, Mesoporous cobalt oxalate nanostructures as high-performance anode materials for lithium-ion batteries: Ex situ electrochemical mechanistic study, *J. Phys. Chem. C.* 117 (2013) 16316–16325. doi:10.1021/jp404049f.
- [37] D. Yang, J. Zhu, X. Rui, H. Tan, R. Cai, H.E. Hoster, D.Y.W. Yu, H.H. Hng, Q. Yan, Synthesis of cobalt phosphides and their application as anodes for lithium ion batteries., *ACS Appl. Mater. Interfaces.* 5 (2013) 1093–9. doi:10.1021/am302877q.
- [38] J. Zhu, Z. Yin, D. Yang, T. Sun, H. Yu, H.E. Hoster, H.H. Hng, H. Zhang, Q. Yan, Hierarchical hollow spheres composed of ultrathin Fe₂O₃ nanosheets for lithium storage and photocatalytic water oxidation, *Energy Environ. Sci.* 6 (2013) 987. doi:10.1039/c2ee24148j.
- [39] S. Saadat, J. Zhu, D.H. Sim, H.H. Hng, R. Yazami, Q. Yan, Coaxial Fe₃O₄/CuO hybrid nanowires as ultra fast charge/discharge lithium-ion battery anodes, *J. Mater. Chem. A.* 1 (2013) 8672. doi:10.1039/c3ta10885f.
- [40] G. Zhang, B.Y. Xia, C. Xiao, L. Yu, X. Wang, Y. Xie, X.W. Lou, General formation of complex tubular nanostructures of metal oxides for the oxygen reduction reaction and lithium-ion batteries, *Angew. Chemie - Int. Ed.* 52 (2013) 8643–8647. doi:10.1002/anie.201304355.
- [41] L. Li, S. Peng, Y. Cheah, Y. Ko, P. Teh, G. Wee, C. Wong, M. Srinivasan, Electrospun hierarchical CaCo₂O₄ nanofibers with excellent lithium storage properties, *Chem. - A Eur. J.* 19 (2013) 14823–14830. doi:10.1002/chem.201302849.
- [42] H. Yu, C. Guan, X. Rui, B. Ouyang, B. Yadian, Y. Huang, H. Zhang, H.E. Hoster, H.J. Fan, Q. Yan, Hierarchically porous three-dimensional electrodes of CoMoO₄ and ZnCo₂O₄ and their high anode performance for lithium ion batteries, *Nanoscale.* 6 (2014) 10556–10561. doi:10.1039/c4nr03631j.
- [43] L. Lai, J. Zhu, Z. Li, D.Y.W. Yu, S. Jiang, X. Cai, Q. Yan, Y.M. Lam, Z. Shen, J. Lin, Co₃O₄/nitrogen modified graphene electrode as Li-ion battery anode with high reversible capacity and improved initial cycle performance, *Nano Energy.* 3 (2014) 134–143. doi:10.1016/j.nanoen.2013.05.014.
- [44] G. Zhang, H. Wu, H. Hoster, X. Lou, Strongly coupled carbon nanofiber–metal oxide coaxial nanocables with enhanced lithium storage properties, *Energy Environ. Sci.* 7 (2014) 302–305. doi:10.1039/C3EE43123A.
- [45] D.Y.W. Yu, R.L. Lee, R. Yi, S.Y. Chiam, P.D. Tran, Electrochemical characterization of novel layered Cu₂MS₄ materials for Li-ion batteries (M = Mo), *Electrochim. Acta.* 115 (2014) 337–343. doi:10.1016/j.electacta.2013.10.149.
- [46] G. Zhang, X.W.D. Lou, General synthesis of multi-shelled mixed metal oxide hollow spheres with superior lithium storage properties., *Angew. Chem. Int. Ed. Engl.* 53 (2014) 9041–4. doi:10.1002/anie.201404604.
- [47] V.S. Nair, S. Sreejith, P. Borah, S. Hartung, N. Bucher, Y. Zhaoac, S. Madhavi, Crystalline Li₃V₆O₁₆ rods as high-capacity anode materials for aqueous rechargeable lithium batteries (ARLB), *Rsc Adv.* 4 (2014) 28601–28605. doi:10.1039/c4ra02804j.

- [48] G. Zhang, H. Bin Wu, T. Song, U. Paik, X.W. Lou, TiO₂ hollow spheres composed of highly crystalline nanocrystals exhibit superior lithium storage properties, *Angew. Chemie - Int. Ed.* 53 (2014) 12590–12593. doi:10.1002/anie.201406476.
- [49] N. Arun, V. Aravindan, S. Jayaraman, N. Shubha, W.C. Ling, S. Ramakrishna, S. Madhavi, Exceptional performance of a high voltage spinel LiNi_{0.5}Mn_{1.5}O₄ cathode in all one dimensional architectures with an anatase TiO₂ anode by electrospinning, *Nanoscale*. 6 (2014) 8926. doi:10.1039/C4NR01892C.
- [50] D.Y.W. Yu, S.K. Batabyal, J. Gun, S. Sladkevich, A.A. Mikhaylov, A.G. Medvedev, V.M. Novotortsev, O. Lev, P. V. Prikhodchenko, Antimony and antimony oxide@graphene oxide obtained by the peroxide route as anodes for lithium-ion batteries, *Main Gr. Met. Chem.* 38 (2015) 43–50. doi:10.1515/mgmc-2015-0001.
- [51] H. Yu, H. Fan, B. Yadian, H. Tan, W. Liu, H.H. Hng, Y. Huang, Q. Yan, General Approach for MOF-Derived Porous Spinel AFe₂O₄ Hollow Structures and Their Superior Lithium Storage Properties, *ACS Appl. Mater. Interfaces*. 7 (2015) 26751–26757. doi:10.1021/acsami.5b08741.
- [52] H. Yu, H. Fan, X. Wu, H. Wang, Z. Luo, H. Tan, B. Yadian, Y. Huang, Q. Yan, Diffusion induced concave Co₃O₄@CoFe₂O₄ hollow heterostructures for high performance lithium ion battery anode, *Energy Storage Mater.* 4 (2016) 145–153. doi:10.1016/j.ensm.2016.05.005.
- [53] X. Rui, J. Zhu, D. Sim, C. Xu, Y. Zeng, H.H. Hng, T.M. Lim, Q. Yan, Reduced graphene oxide supported highly porous V₂O₅ spheres as a high-power cathode material for lithium ion batteries., *Nanoscale*. 3 (2011) 4752–8. doi:10.1039/c1nr10879d.
- [54] X. Rui, J. Zhu, W. Liu, H. Tan, D. Sim, C. Xu, H. Zhang, J. Ma, H.H. Hng, T.M. Lim, Q. Yan, Facile preparation of hydrated vanadium pentoxide nanobelts based bulky paper as flexible binder-free cathodes for high-performance lithium ion batteries, *RSC Adv.* 1 (2011) 117. doi:10.1039/c1ra00281c.
- [55] Y.L. Cheah, V. Aravindan, S. Madhavi, Improved elevated temperature performance of al-intercalated V₂O₅ electrospun nanofibers for lithium-ion batteries, *ACS Appl. Mater. Interfaces*. 4 (2012) 3270–3277. doi:10.1021/am300616k.
- [56] W. Zhang, Y. Zeng, C. Xu, N. Xiao, Y. Gao, L.-J. Li, X. Chen, H.H. Hng, Q. Yan, A facile approach to nanoarchitected three-dimensional graphene-based Li–Mn–O composite as high-power cathodes for Li-ion batteries, *Beilstein J. Nanotechnol.* 3 (2012) 513–523. doi:10.3762/bjnano.3.59.
- [57] X. Rui, D. Sim, K. Wong, J. Zhu, W. Liu, C. Xu, H. Tan, N. Xiao, H.H. Hng, T.M. Lim, Q. Yan, Li₃V₂(PO₄)₃ nanocrystals embedded in a nanoporous carbon matrix supported on reduced graphene oxide sheets: Binder-free and high rate cathode material for lithium-ion batteries, *J. Power Sources*. 214 (2012) 171–177. doi:10.1016/j.jpowsour.2012.03.113.
- [58] V. Aravindan, Y.L. Cheah, W.C. Ling, S. Madhavi, Effect of LiBOB Additive on the Electrochemical Performance of LiCoPO₄, *J. Electrochem. Soc.* 159 (2012) A1435–A1439. doi:10.1149/2.024209jes.
- [59] Y.L. Cheah, V. Aravindan, M. Srinivasan, Electrochemical Lithium Insertion Behavior of Combustion Synthesized V₂O₅ Cathodes for Lithium-Ion Batteries, *J. Electrochem. Soc.* 159 (2012) A273. doi:10.1149/2.071203jes.
- [60] X. Rui, D. Sim, C. Xu, W. Liu, H. Tan, K. Wong, H.H. Hng, T.M. Lim, Q. Yan, One-pot synthesis of carbon-coated VO₂ (B) nanobelts for high-rate lithium storage, *RSC Adv.* 2 (2012) 1174–1180. doi:10.1039/C1RA00698C.
- [61] V. Aravindan, W. Chuling, S. Madhavi, Electrochemical performance of NASICON type carbon coated LiTi₂(PO₄)₃ with a spinel LiMn₂O₄ cathode, *RSC Adv.* 2 (2012) 7534. doi:10.1039/c2ra20826a.
- [62] X. Rui, X. Zhao, Z. Lu, H. Tan, D. Sim, H.H. Hng, R. Yazami, T.M. Lim, Q. Yan, Olivine-type nanosheets for lithium ion battery cathodes, *ACS Nano*. 7 (2013) 5637–5646. doi:10.1021/nn4022263.
- [63] R. Cai, Y. Du, W. Zhang, H. Tan, T. Zeng, X. Huang, H. Yang, C. Chen, H. Liu, J. Zhu, S. Peng, J. Chen, Y. Zhao, H. Wu, Y. Huang, R. Xu, T.M. Lim, Q. Zhang, H. Zhang, Q. Yan, Synthesis of porous amorphous FePO₄ nanotubes and their lithium storage properties, *Chem. - A Eur. J.* 19 (2013) 1568–1572. doi:10.1002/chem.201203935.
- [64] Y. Tang, X. Rui, Y. Zhang, T.M. Lim, Z. Dong, H.H. Hng, X. Chen, Q. Yan, Z. Chen, Vanadium pentoxide cathode materials for high-performance lithium-ion batteries enabled by a hierarchical nanoflower structure via an electrochemical process, *J. Mater. Chem. A*. 2 (2013) 82–88. doi:10.1039/c2ta00351a.

- [65] Y.L. Cheah, V. Aravindan, S. Madhavi, Chemical Lithiation Studies on Combustion Synthesized V₂O₅ Cathodes with Full Cell Application for Lithium Ion Batteries, *J. Electrochem. Soc.* 160 (2013) A1016–A1024. doi:10.1149/2.015308jes.
- [66] Y.L. Cheah, R. von Hagen, V. Aravindan, R. Fiz, S. Mathur, S. Madhavi, High-rate and elevated temperature performance of electrospun V₂O₅ nanofibers carbon-coated by plasma enhanced chemical vapour deposition, *Nano Energy*. 2 (2013) 57–64. doi:10.1016/j.nanoen.2012.07.012.
- [67] H. Yu, X. Rui, H. Tan, J. Chen, X. Huang, C. Xu, W. Liu, D.Y.W. Yu, H.H. Hng, H.E. Hoster, Q. Yan, Cu doped V₂O₅ flowers as cathode material for high-performance lithium ion batteries, *Nanoscale*. 5 (2013) 4937. doi:10.1039/c3nr00548h.
- [68] X. Rui, Z. Lu, H. Yu, D. Yang, H.H. Hng, T.M. Lim, Q. Yan, Ultrathin V₂O₅ nanosheet cathodes: realizing ultrafast reversible lithium storage., *Nanoscale*. 5 (2013) 556–60. doi:10.1039/c2nr33422d.
- [69] R. Cai, H. Liu, W. Zhang, H. Tan, D. Yang, Y. Huang, H.H. Hng, T.M. Lim, Q. Yan, Controlled synthesis of double-wall α-FePO₄ nanotubes and their LIB cathode properties, *Small*. 9 (2013) 1036–1041. doi:10.1002/sml.201202291.
- [70] D. Yang, Z. Lu, X. Rui, X. Huang, H. Li, J. Zhu, W. Zhang, Y.M. Lam, H.H. Hng, H. Zhang, Q. Yan, Synthesis of two-dimensional transition-metal phosphates with highly ordered mesoporous structures for lithium-ion battery applications, *Angew. Chemie - Int. Ed.* 53 (2014) 9352–9355. doi:10.1002/anie.201404615.
- [71] X. Rui, Q. Yan, M. Skyllas-Kazacos, T.M. Lim, Li₃V₂(PO₄)₃ cathode materials for lithium-ion batteries: A review, *J. Power Sources*. 258 (2014) 19–38. doi:10.1016/j.jpowsour.2014.01.126.
- [72] A. Nagasubramanian, D.Y.W. Yu, H. Hoster, M. Srinivasan, Enhanced cycling stability of o-LiMnO₂ cathode modified by lithium boron oxide coating for lithium-ion batteries, *J. Solid State Electrochem.* 18 (2014) 1915–1922. doi:10.1007/s10008-014-2421-3.
- [73] Y. Zhou, D. Yang, Y. Zeng, Y. Zhou, W.J. Ng, Q. Yan, E. Fong, Recycling bacteria for the synthesis of LiMPO₄ (M = Fe, Mn) nanostructures for high-power lithium batteries, *Small*. 10 (2014) 3997–4002. doi:10.1002/sml.201400568.
- [74] N. Bucher, S. Hartung, M. Arkhipova, D. Yu, P. Kratzer, G. Maas, M. Srinivasan, H.E. Hoster, A novel ionic liquid for Li ion batteries – uniting the advantages of guanidinium and piperidinium cations, *RSC Adv.* 4 (2014) 1996–2003. doi:10.1039/C3RA46118A.
- [75] W. Shi, X. Rui, J. Zhu, Q. Yan, Design of Nanostructured Hybrid Materials Based on Carbon and Metal Oxides for Li Ion Batteries, *J. Phys. Chem. C*. 116 (2012) 26685–26693. doi:10.1021/jp309000r.
- [76] J. Wang, L. Li, C.L. Wong, S. Madhavi, Flexible single-walled carbon nanotube/polycellulose papers for lithium-ion batteries, *Nanotechnology*. 23 (2012) 495401. doi:10.1088/0957-4484/23/49/495401.
- [77] N. Shubha, R. Prasanth, H.H. Hoon, M. Srinivasan, Dual phase polymer gel electrolyte based on non-woven poly(vinylidene fluoride-co-hexafluoropropylene)-layered clay nanocomposite fibrous membranes for lithium ion batteries, *Mater. Res. Bull.* 48 (2013) 526–537. doi:10.1016/j.materresbull.2012.11.002.
- [78] C. Xu, Y. Zeng, X. Rui, J. Zhu, H. Tan, A. Guerrero, J. Toribio, J. Bisquert, G. Garcia-Belmonte, Q. Yan, Amorphous iron oxyhydroxide nanosheets: Synthesis, Li storage, and conversion reaction kinetics, *J. Phys. Chem. C*. 117 (2013) 17462–17469. doi:10.1021/jp405848j.
- [79] X. Rui, H. Tan, D. Sim, W. Liu, C. Xu, H.H. Hng, R. Yazami, T.M. Lim, Q. Yan, Template-free synthesis of urchin-like Co₃O₄ hollow spheres with good lithium storage properties, *J. Power Sources*. 222 (2013) 97–102. doi:10.1016/j.jpowsour.2012.08.094.
- [80] R. Prasanth, N. Shubha, H.H. Hng, M. Srinivasan, Effect of nano-clay on ionic conductivity and electrochemical properties of poly(vinylidene fluoride) based nanocomposite porous polymer membranes and their application as polymer electrolyte in lithium ion batteries, *Eur. Polym. J.* 49 (2013) 307–318. doi:10.1016/j.eurpolymj.2012.10.033.
- [81] S. Peng, L. Li, S.G. Mhaisalkar, M. Srinivasan, S. Ramakrishna, Q. Yan, Hollow nanospheres constructed by CoS₂ nanosheets with a nitrogen-doped-carbon coating for energy-storage and photocatalysis, *ChemSusChem*. 7 (2014) 2212–2220. doi:10.1002/cssc.201402161.

- [82] H.T. Tan, X. Rui, Z. Lu, C. Xu, W. Liu, H.H. Hng, Q. Yan, Integrated charge transfer in colloidal Cu-MnO heterostructures for high-performance lithium ion batteries, *J. Phys. Chem. C*. 118 (2014) 17452–17460. doi:10.1021/jp505026f.
- [83] S. Peng, L. Li, M. Srinivasan, Electrospun CuFe₂O₄ nanotubes as anodes for high-performance lithium-ion batteries, *J. Energy Chem.* 23 (2014) 301–307. doi:10.1016/S2095-4956(14)60151-0.
- [84] Y.T. Teng, F. Wei, R. Yazami, Synthesis of Ni_xCo(1-x)F₂ (x = 0, 0.25, 0.50, 0.75, 1.0) and application in lithium ion batteries, *J. Alloys Compd.* 653 (2015) 434–443. doi:10.1016/j.jallcom.2015.09.036.
- [85] D.Y.W. Yu, P. V Prikhodchenko, C.W. Mason, S.K. Batabyal, J. Gun, S. Sladkevich, A.G. Medvedev, O. Lev, High-capacity antimony sulphide nanoparticle-decorated graphene composite as anode for sodium-ion batteries., *Nat. Commun.* 4 (2013) 2922. doi:10.1038/ncomms3922.
- [86] N. Bucher, S. Hartung, I. Gocheva, Y.L. Cheah, M. Srinivasan, H.E. Hoster, Combustion-synthesized sodium manganese (cobalt) oxides as cathodes for sodium ion batteries, *J. Solid State Electrochem.* 17 (2013) 1923–1929. doi:10.1007/s10008-013-2047-x.
- [87] S. Hartung, N. Bucher, V.S. Nair, C.Y. Ling, Y. Wang, H.E. Hoster, M. Srinivasan, Sodium vanadium oxide: a new material for high-performance symmetric sodium-ion batteries., *Chemphyschem.* 15 (2014) 2121–8. doi:10.1002/cphc.201402020.
- [88] C.W. Mason, I. Gocheva, H.E. Hoster, D.Y.W. Yu, Iron(III) sulfate: a stable, cost effective electrode material for sodium ion batteries., *Chem. Commun. (Camb)*. 50 (2014) 2249–51. doi:10.1039/c3cc47557c.
- [89] V. Aravindan, W.C. Ling, S. Hartung, N. Bucher, S. Madhavi, Carbon-coated LiTi₂(PO₄)₃: An ideal insertion host for lithium-ion and sodium-ion batteries, *Chem. - An Asian J.* 9 (2014) 878–882. doi:10.1002/asia.201301461.
- [90] P. V. Prikhodchenko, D.Y.W. Yu, S.K. Batabyal, V. Uvarov, J. Gun, S. Sladkevich, A. a. Mikhaylov, A.G. Medvedev, O. Lev, Nanocrystalline tin disulfide coating of reduced graphene oxide produced by the peroxostannate deposition route for sodium ion battery anodes, *J. Mater. Chem. A*. 2 (2014) 8431. doi:10.1039/c3ta15248k.
- [91] C.W. Mason, F. Lange, Aqueous Ion Battery Systems Using Sodium Vanadium Phosphate Stabilized by Titanium Substitution, *ECS Electrochem. Lett.* 4 (2015) A79–A82. doi:10.1149/2.0011508eel.
- [92] C.W. Mason, F. Lange, K. Saravanan, F. Lin, D. Nordlund, Beyond Divalent Copper: A Redox Couple for Sodium Ion Battery Cathode Materials, *ECS Electrochem. Lett.* (2015). doi:10.1149/2.0041505eel.
- [93] N. Bucher, S. Hartung, A. Nagasubramanian, Y.L. Cheah, H.E. Hoster, S. Madhavi, Layered Na_xMnO_{2+z} in sodium ion batteries-influence of morphology on cycle performance, *ACS Appl. Mater. Interfaces*. 6 (2014) 8059–8065. doi:10.1021/am406009t.
- [94] X. Cao, Y. Shi, W. Shi, G. Lu, X. Huang, Q. Yan, Q. Zhang, H. Zhang, Preparation of novel 3D graphene networks for supercapacitor applications., *Small*. 7 (2011) 3163–8. doi:10.1002/smll.201100990.
- [95] N. Xiao, D. Lau, W. Shi, J. Zhu, X. Dong, H.H. Hng, Q. Yan, A simple process to prepare nitrogen-modified few-layer graphene for a supercapacitor electrode, *Carbon N. Y.* 57 (2013) 184–190. doi:10.1016/j.carbon.2013.01.062.
- [96] N. Xiao, H. Tan, J. Zhu, L. Tan, X. Rui, X. Dong, Q. Yan, High-performance supercapacitor electrodes based on graphene achieved by thermal treatment with the aid of nitric acid, *ACS Appl. Mater. Interfaces*. 5 (2013) 9656–9662. doi:10.1021/am402686r.
- [97] A.D. Su, X. Zhang, A. Rinaldi, S.T. Nguyen, H. Liu, Z. Lei, L. Lu, H.M. Duong, Hierarchical porous nickel oxide-carbon nanotubes as advanced pseudocapacitor materials for supercapacitors, *Chem. Phys. Lett.* 561–562 (2013) 68–73. doi:10.1016/j.cplett.2013.01.023.
- [98] G. Zhang, L. Yu, H.E. Hoster, X.W.D. Lou, Synthesis of one-dimensional hierarchical NiO hollow nanostructures with enhanced supercapacitive performance., *Nanoscale*. 5 (2013) 877–81. doi:10.1039/c2nr33326k.
- [99] G. Zhang, X.W. Lou, General solution growth of mesoporous NiCo₂O₄ nanosheets on various conductive substrates as high-performance electrodes for supercapacitors, *Adv. Mater.* 25 (2013) 976–979. doi:10.1002/adma.201204128.

- [100] L. Li, S. Peng, Y. Cheah, P. Teh, J. Wang, G. Wee, Y. Ko, C. Wong, M. Srinivasan, Electrospun porous NiCo₂O₄ nanotubes as advanced electrodes for electrochemical capacitors, *Chem. - A Eur. J.* 19 (2013) 5892–5898. doi:10.1002/chem.201204153.
- [101] G.Q. Zhang, H. Bin Wu, H.E. Hoster, M.B. Chan-Park, X.W. (David) Lou, Single-crystalline NiCo₂O₄ nanoneedle arrays grown on conductive substrates as binder-free electrodes for high-performance supercapacitors, *Energy Environ. Sci.* 5 (2012) 9453. doi:10.1039/c2ee22572g.
- [102] L. Cao, J. Zhu, Y. Li, P. Xiao, Y. Zhang, S. Zhang, S. Yang, Ultrathin single-crystalline vanadium pentoxide nanoribbon constructed 3D networks for superior energy storage, *J. Mater. Chem. A.* (2014). doi:10.1039/C4TA02229G.
- [103] H.T. Tan, X. Rui, H. Yu, W. Liu, C. Xu, Z. Xu, H.H. Hng, Q. Yan, Aqueous-based chemical route toward ambient preparation of multicomponent core-shell nanotubes, *ACS Nano.* 8 (2014) 4004–4014. doi:10.1021/nn500942k.
- [104] J. Zhu, L. Cao, Y. Wu, Y. Gong, Z. Liu, H.E. Hoster, Y. Zhang, S. Zhang, S. Yang, Q. Yan, P.M. Ajayan, R. Vajtai, Building 3D structures of vanadium pentoxide nanosheets and application as electrodes in supercapacitors, *Nano Lett.* 13 (2013) 5408–5413. doi:10.1021/nl402969r.
- [105] J. Zhu, W. Sun, D. Yang, Y. Zhang, H.H. Hoon, H. Zhang, Q. Yan, Multifunctional Architectures Constructing of PANI Nanoneedle Arrays on MoS₂ Thin Nanosheets for High-Energy Supercapacitors, *Small.* 11 (2015) 4123–4129. doi:10.1002/smll.201403744.
- [106] S. Peng, L. Li, H. Tan, R. Cai, W. Shi, C. Li, S.G. Mhaisalkar, M. Srinivasan, S. Ramakrishna, Q. Yan, MS₂ (M = Co and Ni) hollow spheres with tunable interiors for high-performance supercapacitors and photovoltaics, *Adv. Funct. Mater.* 24 (2014) 2155–2162. doi:10.1002/adfm.201303273.
- [107] H.Y. Chen, G. Wee, R. Al-Oweini, J. Friedl, K.S. Tan, Y. Wang, C.L. Wong, U. Kortz, U. Stimming, M. Srinivasan, A polyoxovanadate as an advanced electrode material for supercapacitors, *ChemPhysChem.* (2014). doi:10.1002/cphc.201400091.
- [108] S. Peng, L. Li, H. Tan, Y. Wu, R. Cai, H. Yu, X. Huang, P. Zhu, S. Ramakrishna, M. Srinivasan, Q. Yan, Monodispersed Ag nanoparticles loaded on the PVP-assisted synthetic Bi₂O₂CO₃ microspheres with enhanced photocatalytic and supercapacitive performances, *J. Mater. Chem. A.* 1 (2013) 7630–7638. doi:10.1039/c3ta10951h.
- [109] H.T. Tan, X. Rui, W. Shi, C. Xu, H. Yu, H.E. Hoster, Q. Yan, Controlled synthesis of manganese oxyhydroxide nanotubes: Implications for high-efficiency supercapacitors, *Chempluschem.* 78 (2013) 554–560. doi:10.1002/cplu.201300095.
- [110] S. Peng, L. Li, C. Li, H. Tan, R. Cai, H. Yu, S. Mhaisalkar, M. Srinivasan, S. Ramakrishna, Q. Yan, In situ growth of NiCo₂(S)₄ nanosheets on graphene for high-performance supercapacitors., *Chem. Commun. (Camb).* 49 (2013) 10178–80. doi:10.1039/c3cc46034g.
- [111] J. Zhu, W. Shi, N. Xiao, X. Rui, H. Tan, X. Lu, H.H. Hng, J. Ma, Q. Yan, Oxidation-Etching Preparation of MnO₂ Tubular Nanostructures for High-Performance Supercapacitors, *ACS Appl. Mater. Interfaces.* 4 (2012) 2769–2774. doi:10.1021/am300388u.
- [112] V. Aravindan, W. Chuiling, M. V Reddy, G.V.S. Rao, B.V.R. Chowdari, M. Srinivasan, Carbon coated nano-LiTi₂(PO₄)₃ electrodes for non-aqueous hybrid supercapacitors., *Phys. Chem. Chem. Phys.* 14 (2012) 5808–14. doi:10.1039/c2cp40603a.
- [113] G. Guo, T.H.A. Truong, H. Tan, H. Ang, W. Zhang, C. Xu, X. Rui, Z. Hu, E. Fong, Q. Yan, Platinum and palladium nanotubes based on genetically engineered elastin-mimetic fusion protein-fiber templates: Synthesis and application in lithium-O₂ batteries, *Chem. - An Asian J.* 9 (2014) 2555–2559. doi:10.1002/asia.201402191.
- [114] C.C. Li, H. Yu, Q. Yan, H.H. Hng, Green synthesis of highly reduced graphene oxide by compressed hydrogen gas towards energy storage devices, *J. Power Sources.* 274 (2015) 310–317. doi:10.1016/j.jpowsour.2014.10.056.
- [115] C.C. Li, W. Zhang, H. Ang, H. Yu, B.Y. Xia, X. Wang, Y.H. Yang, Y. Zhao, H.H. Hng, Q. Yan, Compressed hydrogen gas-induced synthesis of Au-Pt core-shell nanoparticle chains towards high-performance catalysts for Li-O₂ batteries, *J. Mater. Chem. A.* 2 (2014) 10676–10681. doi:10.1039/c4ta01475h.

- [116] A. Rinaldi, O. Wijaya, H. Hoster, Lithium-Oxygen Cells: An Analytical Model to Explain Key Features in the Discharge Voltage Profiles, *ChemElectroChem*. (2016). doi:10.1002/celec.201600184.
- [117] A. Rinaldi, O. Wijaya, H.E. Hoster, D.Y.W. Yu, History effects in lithium-oxygen batteries: how initial seeding influences the discharge capacity., *ChemSusChem*. 7 (2014) 1283–8. doi:10.1002/cssc.201300986.
- [118] O. Wijaya, P. Hartmann, R. Younesi, I.I.E. Markovits, A. Rinaldi, J. Janek, R. Yazami, A gamma fluorinated ether as an additive for enhanced oxygen activity in Li–O₂ batteries, *J. Mater. Chem. A*. 3 (2015) 19061–19067. doi:10.1039/C5TA03439F.
- [119] W. Zhang, Y. Zeng, C. Xu, H. Tan, W. Liu, J. Zhu, N. Xiao, H.H. Hng, J. Ma, H.E. Hoster, R. Yazami, Q. Yan, Fe₂O₃ nanocluster-decorated graphene as O₂ electrode for high energy Li–O₂ batteries, *RSC Adv*. 2 (2012) 8508. doi:10.1039/c2ra20757e.
- [120] W. Zhang, J. Zhu, H. Ang, H. Wang, H.T. Tan, D. Yang, C. Xu, N. Xiao, B. Li, W. Liu, X. Wang, H.H. Hng, Q. Yan, Fe-based metallopolymer nanowall-based composites for Li-O₂ battery cathode, *ACS Appl. Mater. Interfaces*. 6 (2014) 7164–7170. doi:10.1021/am500158s.
- [121] W. Zhang, J. Zhu, H. Ang, Y. Zeng, N. Xiao, Y. Gao, W. Liu, H.H. Hng, Q. Yan, Binder-free graphene foams for O₂ electrodes of Li–O₂ batteries, *Nanoscale*. 5 (2013) 9651. doi:10.1039/c3nr03321j.
- [122] K.S. Tan, A.C. Grimsdale, R. Yazami, Synthesis and characterization of biphenyl-based lithium solvated electron solutions., *J. Phys. Chem. B*. 116 (2012) 9056–60. doi:10.1021/jp302160a.
- [123] Z.B. Lim, K.S. Tan, A. V. Lunchev, H. Li, S.J. Cho, A.C. Grimsdale, R. Yazami, Synthesis and assessment of new cyclopenta-2,4-dienone derivatives for energy storage applications, *Synth. Met.* 200 (2015) 85–90. doi:10.1016/j.synthmet.2014.12.027.
- [124] Z. Lu, J. Zhu, D. Sim, W. Zhou, W. Shi, H.H. Hng, Q. Yan, Synthesis of Ultrathin Silicon Nanosheets by Using Graphene Oxide as Template, *Chem. Mater.* 23 (2011) 5293–5295. doi:10.1021/cm202891p.
- [125] J. Zhu, Z. Yin, H. Li, H. Tan, C.L. Chow, H. Zhang, H.H. Hng, J. Ma, Q. Yan, Bottom-up preparation of porous metal-oxide ultrathin sheets with adjustable composition/phases and their applications., *Small*. 7 (2011) 3458–64. doi:10.1002/smll.201101729.
- [126] Z. Zeng, T. Sun, J. Zhu, X. Huang, Z. Yin, G. Lu, Z. Fan, Q. Yan, H.H. Hng, H. Zhang, An Effective Method for the Fabrication of Few-Layer-Thick Inorganic Nanosheets, *Angew. Chemie Int. Ed.* 51 (2012) 9052–9056. doi:10.1002/anie.201204208.
- [127] W. Zhou, W. Zhao, Z. Lu, J. Zhu, S. Fan, J. Ma, H.H. Hng, Q. Yan, Preparation and thermoelectric properties of sulfur doped Ag₂Te nanoparticles via solvothermal methods, *Nanoscale*. 4 (2012) 3926. doi:10.1039/c2nr30469d.
- [128] S. Peng, L. Li, P. Zhu, Y. Wu, M. Srinivasan, S.G. Mhaisalkar, S. Ramakrishna, Q. Yan, Controlled synthesis of BiOCl hierarchical self-assemblies with highly efficient photocatalytic properties, *Chem. - An Asian J.* 8 (2013) 258–268. doi:10.1002/asia.201200856.
- [129] L. Zhang, M. Han, O.K. Tan, M.S. Tse, Y.X. Wang, C.C. Sze, Facile fabrication of Ag/C-TiO₂ nanoparticles with enhanced visible light photocatalytic activity for disinfection of *Escherichia coli* and *Enterococcus faecalis*, *J. Mater. Chem. B*. 1 (2013) 564. doi:10.1039/c2tb00113f.
- [130] S. Peng, L. Li, Y. Wu, L. Jia, L. Tian, M. Srinivasan, S. Ramakrishna, Q. Yan, S.G. Mhaisalkar, Size- and shape-controlled synthesis of ZnIn₂S₄ nanocrystals with high photocatalytic performance, *CrystEngComm*. 15 (2013) 1922. doi:10.1039/c2ce26593a.
- [131] N.N. Chai, J. Zeng, K.G. Zhou, Y.L. Xie, H.X. Wang, H.L. Zhang, C. Xu, J.X. Zhu, Q.Y. Yan, Free-radical-promoted conversion of graphite oxide into chemically modified graphene, *Chem. - A Eur. J.* (2013). doi:10.1002/chem.201203819.
- [132] S. Peng, L. Li, H. Tan, M. Srinivasan, S.G. Mhaisalkar, S. Ramakrishna, Q. Yan, Platinum/polyaniline transparent counter electrodes for quasi-solid dye-sensitized solar cells with electrospun PVDF-HFP/TiO₂ membrane electrolyte, *Electrochim. Acta*. 105 (2013) 447–454. doi:10.1016/j.electacta.2013.04.177.

- [133] R. Cai, J. Chen, D. Yang, Z. Zhang, S. Peng, J. Wu, W. Zhang, C. Zhu, T.M. Lim, H. Zhang, Q. Yan, Solvothermal-induced conversion of one-dimensional multilayer nanotubes to two-dimensional hydrophilic VO_x nanosheets: Synthesis and water treatment application, *ACS Appl. Mater. Interfaces*. 5 (2013) 10389–10394. doi:10.1021/am403572k.
- [134] C. Xu, S. Peng, C. Tan, H. Ang, H. Tan, H. Zhang, Q. Yan, Ultrathin S-doped MoSe₂ nanosheets for efficient hydrogen evolution, *J. Mater. Chem. A*. 2 (2014) 5597. doi:10.1039/c4ta00458b.
- [135] X. Rui, H. Tan, Q. Yan, Nanostructured metal sulfides for energy storage, *Nanoscale*. 6 (2014) 9889–9924. doi:10.1039/c4nr03057e.
- [136] J. Zhu, D. Yang, Z. Yin, Q. Yan, H. Zhang, Graphene and graphene-based materials for energy storage applications, *Small*. 10 (2014) 3480–3498. doi:10.1002/sml.201303202.
- [137] G. Zhang, B.Y. Xia, X. Wang, X.W. Lou, Strongly coupled NiCo₂O₄-rGO hybrid nanosheets as a methanol-tolerant electrocatalyst for the oxygen reduction reaction, *Adv. Mater.* 26 (2014) 2408–2412. doi:10.1002/adma.201304683.
- [138] X. Cao, M.N. Thet, Y. Zhang, S.C. Joachim Loo, S. Magdassi, Q. Yan, Y. Long, Solution-based fabrication of VO₂ (M) nanoparticles via lyophilisation, *RSC Adv.* 5 (2015) 25669–25675. doi:10.1039/C4RA16840B.
- [139] D. Künzel, K. Tonigold, J. Kučera, M. Roos, H.E. Hoster, R.J. Behm, A. Gross, Adsorption of supramolecular building blocks on graphite: a force field and density functional theory study., *Chemphyschem*. 12 (2011) 2242–5. doi:10.1002/cphc.201100240.
- [140] T. Waldmann, J. Klein, H.E. Hoster, R.J. Behm, Stabilization of large adsorbates by rotational entropy: a time-resolved variable-temperature STM study., *Chemphyschem*. 14 (2013) 162–9. doi:10.1002/cphc.201200531.
- [141] M. Roos, D. Künzel, B. Uhl, H.-H. Huang, O. Brandao Alves, H.E. Hoster, A. Gross, R.J. Behm, Hierarchical interactions and their influence upon the adsorption of organic molecules on a graphene film., *J. Am. Chem. Soc.* 133 (2011) 9208–11. doi:10.1021/ja2025855.
- [142] T. Waldmann, H.-H. Huang, H.E. Hoster, O. Höfft, F. Endres, R.J. Behm, Imaging an Ionic Liquid Adlayer by Scanning Tunneling Microscopy at the Solid|Vacuum Interface, *ChemPhysChem*. 12 (2011) 2565–2567. doi:10.1002/cphc.201100413.
- [143] W.A.E. Ang, Y.L. Cheah, C.L. Wong, H.H. Hng, S. Madhavi, One-pot solvothermal synthesis of Co_{1-x}Mn_xC₂O₄ and their application as anode materials for lithium-ion batteries, *J. Alloys Compd.* 638 (2015) 324–333. doi:10.1016/j.jallcom.2015.02.203.
- [144] N. Arun, A. Jain, V. Aravindan, S. Jayaraman, W. Chui Ling, M.P. Srinivasan, S. Madhavi, Nanostructured spinel LiNi_{0.5}Mn_{1.5}O₄ as new insertion anode for advanced Li-ion capacitors with high power capability, *Nano Energy*. 12 (2015) 69–75. doi:10.1016/j.nanoen.2014.12.006.
- [145] N. Arun, V. Aravindan, W.C. Ling, S. Madhavi, Importance of nanostructure for reversible Li-insertion into octahedral sites of LiNi_{0.5}Mn_{1.5}O₄ and its application towards aqueous Li-ion chemistry, *J. Power Sources*. 280 (2015) 240–245. doi:10.1016/j.jpowsour.2015.01.095.
- [146] N. Arun, V. Aravindan, S. Jayaraman, S. Madhavi, Unveiling the Fabrication of “Rocking-Chair” Type 3.2 and 1.2 V Class Cells Using Spinel LiNi_{0.5}Mn_{1.5}O₄ as Cathode with Li₄Ti₅O₁₂, *J. Phys. Chem. C*. 119 (2015) 24332–24336. doi:10.1021/acs.jpcc.5b09290.
- [147] R. Satish, V. Aravindan, W.C. Ling, S. Madhavi, Carbon-coated Li₃V₂(PO₄)₃ as insertion type electrode for lithium-ion hybrid electrochemical capacitors: An evaluation of anode and cathodic performance, *J. Power Sources*. 281 (2015) 310–317. doi:10.1016/j.jpowsour.2015.01.190.
- [148] A. Chaturvedi, V. Aravindan, P. Hu, R.R. Prabhakar, L.H. Wong, C. Kloc, S. Madhavi, Synthesis of SnS₂ single crystals and its Li-storage performance with LiMn₂O₄ cathode, *Appl. Mater. Today*. 5 (2016) 68–72. doi:10.1016/j.apmt.2016.09.001.
- [149] V. Aravindan, J. Sundaramurthy, P. Suresh Kumar, Y.-S. Lee, S. Ramakrishna, S. Madhavi, Electrospun nanofibers: A prospective electro-active material for constructing high performance Li-ion batteries, *Chem. Commun.* 51 (2015) 2225–2234. doi:10.1039/C4CC07824A.

- [150] A.A. Mikhaylov, A.G. Medvedev, C.W. Mason, A. Nagasubramanian, S. Madhavi, S.K. Batabyal, Q. Zhang, J. Gun, P. V Prikhodchenko, O. Lev, Graphene oxide supported sodium stannate lithium ion battery anodes by the peroxide route: low temperature and no waste processing, *J. Mater. Chem. A* 3 (2015) 20681–20689. doi:10.1039/C5TA04514B.
- [151] S. Hartung, N. Bucher, H.-Y. Chen, R. Al-Oweini, S. Sreejith, P. Borah, Z. Yanli, U. Körtz, U. Stimming, H.E. Hoster, M. Srinivasan, Vanadium-based polyoxometalate as new material for sodium-ion battery anodes, *J. Power Sources* 288 (2015) 270–277. doi:10.1016/j.jpowsour.2015.04.009.
- [152] N. Bucher, S. Hartung, J.B. Franklin, A.M. Wise, L.Y. Lim, H.-Y. Chen, J. Nelson Weker, M.F. Toney, S. Madhavi, P2-NaxCoyMn1-yO2 (y = 0, 0.1) as Cathode Materials in Sodium-Ion Batteries – Effects of Doping and Morphology to Enhance Cycling Stability, *Chem. Mater.* 2 (2016) acs.chemmater.5b04557. doi:10.1021/acs.chemmater.5b04557.
- [153] S. Hartung, N. Bucher, J.B. Franklin, A.M. Wise, L.Y. Lim, H.-Y. Chen, J.N. Weker, M.-E. Michel-Beyerle, M.F. Toney, M. Srinivasan, Mechanism of Na + Insertion in Alkali Vanadates and Its Influence on Battery Performance, *Adv. Energy Mater.* 6 (2016) 1502336. doi:10.1002/aenm.201502336.
- [154] S. Hartung, N. Bucher, R. Bucher, M. Srinivasan, Note: Electrochemical cell for in operando X-ray diffraction measurements on a conventional X-ray diffractometer, *Rev. Sci. Instrum.* 86 (2015). doi:10.1063/1.4926465.
- [155] N. Bucher, On Improvements of Sodium Manganese Oxide Materials as Sodium-Ion Battery Cathode, Technical University of Munich, 2016. <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:bvb:91-diss-20160118-1284192-1-6> (accessed October 21, 2016).
- [156] S. Hartung, Vanadium-Based Materials as Electrode Materials in Sodium-Ion Batteries, Technical University of Munich, 2016. <http://nbn-resolving.de/urn/resolver.pl?urn:nbn:de:bvb:91-diss-20160118-1284189-1-7>.
- [157] J. Friedl, U. Stimming, The Importance of Electrochemistry for the Development of Sustainable Mobility, in: H. Bruhns (Ed.), *Energ. Forsch. Und Konzepte, Arbeitskreis Energie (AKE) in der Deutschen Physikalischen Gesellschaft*, 2014.
- [158] J. Friedl, *Advanced Materials for Redox Flow Batteries*, Ph.D. Thesis, Technische Universität München, 2015.
- [159] J. Friedl, U. Stimming, Model catalyst studies on hydrogen and ethanol oxidation for fuel cells, *Electrochim. Acta.* 101 (2013) 41–58. doi:10.1016/j.electacta.2012.12.130.
- [160] H. Fink, J. Friedl, U. Stimming, Composition of the Electrode Determines Which Half-Cell's Rate Constant is Higher in a Vanadium Flow Battery, *J. Phys. Chem. C.* 120 (2016) 15893–15901. doi:10.1021/acs.jpcc.5b12098.
- [161] J. Friedl, C.M. Bauer, A. Rinaldi, U. Stimming, Electron transfer kinetics of the – Reaction on multi-walled carbon nanotubes, *Carbon N. Y.* 63 (2013) 228–239. doi:10.1016/j.carbon.2013.06.076.
- [162] J. Friedl, R. Al-Oweini, M. Herpich, B. Keita, U. Körtz, U. Stimming, Electrochemical studies of tri-manganese substituted Keggin Polyoxoanions, *Electrochim. Acta.* 141 (2014) 357–366. doi:http://dx.doi.org/10.1016/j.electacta.2014.07.051.
- [163] R. Al-Oweini, B.S. Bassil, J. Friedl, V. Kottisch, M. Ibrahim, M. Asano, B. Keita, G. Novitchi, Y. Lan, A. Powell, U. Stimming, U. Körtz, Synthesis and characterization of multinuclear manganese-containing tungstosilicates., *Inorg. Chem.* 53 (2014) 5663–73. doi:10.1021/ic500425c.
- [164] H. Chen, *Investigation of Polyoxometalates and Nanostructured Carbon Materials as Electrode Materials for Energy Storage Applications*, TU Munich, 2016.
- [165] H.-Y. Chen, N. Bucher, S. Hartung, L. Li, J. Friedl, H.-P. Liou, C.-L. Sun, U. Stimming, M. Srinivasan, A Multi-Walled Carbon Nanotube Core with Graphene Oxide Nanoribbon Shell as Anode Material for Sodium Ion Batteries, *Adv. Mater. Interfaces.* (2016) 1600357. doi:10.1002/admi.201600357.
- [166] A. Haider, M. Ibrahim, B.S. Bassil, A.M. Carey, A.N. Viet, X. Xing, W.W. Ayass, J.F. Miñambres, R. Liu, G. Zhang, B. Keita, V. Mereacre, A.K. Powell, K. Balinski, A.T. N'Diaye, K. Küpper, H.-Y. Chen, U. Stimming, U. Körtz, Mixed-Valent Mn 16 -Containing Heteropolyanions: Tuning of Oxidation State and Associated Physicochemical Properties, *Inorg. Chem.* 55 (2016) 2755–2764. doi:10.1021/acs.inorgchem.5b02503.

- [167] H. Chen, R. Al-Oweini, J. Friedl, C.Y. Lee, L. Li, U. Kortz, U. Stimming, M. Srinivasan, A novel SWCNT-polyoxometalate nanohybrid material as an electrode for electrochemical supercapacitors, *Nanoscale*. 7 (2015) 7934–7941. doi:10.1039/C4NR07528E.
- [168] H.-Y. Chen, G. Wee, R. Al-Oweini, J. Friedl, K.S. Tan, Y. Wang, C.L. Wong, U. Kortz, U. Stimming, M. Srinivasan, A Polyoxovanadate as an Advanced Electrode Material for Supercapacitors., *ChemPhysChem*. 15 (2014) 2162–2169. doi:10.1002/cphc.201400091.
- [169] H. Chen, J. Friedl, U. Stimming, et al., In-situ X-ray Absorption Fine Structure Studies and Charge Transfer Kinetics of Polyoxometalate Molecular-Cluster Batteries: Na₆V₁₀O₂₈ as a Electrode Material for Li-ion Storage, Submitted. (n.d.).
- [170] M. Herpich, J. Friedl, U. Stimming, Scanning electrochemical potential microscopy (SECPM) and electrochemical STM (EC-STM), in: *Surf. Sci. Tools Nanomater. Charact.*, 2015.
- [171] J. Friedl, I. Markovits, M. Herpich, G. Feng, A.A. Kornyshev, U. Stimming, Interface between a single crystal and an ionic liquid: The influence of water on the double layer capacitance *ChemElectroChem* (2016) DOI: 10.1002/celec.201600557R1.

RP2

- [172] J. Geder, R. Arunachala, S. Jairam, A. Jossen, Thermal behavior of aged lithium-ion batteries: calorimetric observations, *Green Energy and Systems Conference (IGESC)*, IEEE (2015) 24-29. doi:10.1109/IGESC.2015.7359386
- [173] S. Arnold, R. Arunachala, L. Moraleja, A. Jossen, Study of Inhomogeneity in Large Format Li-ion cells with Different Multiphysics Models, *COMSOL Conference Kuala Lumpur* (2015). www.comsol.com/paper/study-of-inhomogeneity-in-large-format-li-ion-cells-with-different-multiphysics--33941
- [174] K. Makinejad, R. Arunachala, S. Arnold, H. Ennifar, H. Zhou, A. Jossen, W. Changyun, A Lumped Electro-Thermal Model for Li-Ion Cells in Electric Vehicle Application, *28th International Electric Vehicle Symposium and Exhibition* (2015) 10-22.
- [175] K. Makinejad, A. Sakka, A. Jossen, Dynamic Voltage Simulation Techniques for Li-ion Cells Considering Cell Aging: Application in Battery Electric Vehicles, *European Battery, Hybrid and Fuel Cell Electric Vehicle Congress* (2015)
- [176] K. Makinejad, A. Sakka, A. Jossen, W. Changyun, Algorithms for On-board Battery Management System in Electric Vehicle for State of Charge Estimation and Dynamic Voltage Simulation of Lithium-ion Batteries (LIB): Considering Cell Aging, *The 56th Battery Symposium in Japan*
- [177] N. Martiny, T. Mühlbauer, S. Steinhorst, M. Lukasiewicz, A. Jossen, Digital Data Transmission System with Capacitive Coupling for In-situ Temperature Sensing in Lithium Ion Cells, *Journal of Energy Storage 4* (2015) 128-134
- [178] R. Arunachala, L. Moraleja, A. Jossen, J. Garche, Aging Inhomogeneity influenced by Cell Size in Commercial Pouch Cells, *European Battery, Hybrid and Fuel Cell Electric Vehicle Congress EEVC European Electric Vehicle Congress* (2015).
- [179] A. Trippe, R. Arunachala, T. Massier, A. Jossen, T. Hamacher, Charging Optimization of Battery Electric Vehicles including Cycle Battery Aging, *5th IEEE PES Innovative Smart Grid Technologies (ISGT) European Conference* (2014). doi:10.1109/ISGTEurope.2014.7028735
- [180] J. Geder, H. Hoster, A. Jossen, J. Garche, D. Yu, Impact of active material surface area on thermal stability of LiCoO₂ cathode, *Journal of Power Sources* 257 (2014) 286-292. doi:10.1016/j.jpowsour.2014.01.116
- [181] N. Martiny, A. Rheinfeld, J. Geder, Y. Wang, W. Kraus, A. Jossen, Development of an all Kapton-based Thin-Film Thermocouple Matrix for In-Situ Temperature Measurement in a Lithium Ion Pouch Cell, *IEEE Sensors Journal* 14 (2014) 3377-3384. doi:10.1109/ICSENS.2013.6688485
- [182] J. Geder, J. H. Song, S. H. Kang, D. Yu, Thermal stability of lithium-rich manganese-based cathode *Solid State Ionics* 268 (2014) 242-246. doi:10.1016/j.ssi.2014.05.020
- [183] N. Martiny, A. Hornung, M. Schüßler, A. Jossen, A Capacitively Coupled Data Transmission System for Resistance Based Sensor Arrays for in-situ Monitoring of Lithium-Ion Battery Cells, *IEEE Sensors Proceedings* (2014) 535-538. doi:10.1109/ICSENS.2014.6985053

- [184] N. Martiny, J. Geder, Y. Wang, W. Kraus, A. Jossen, Development of a thin-film thermocouple matrix for in-situ temperature measurement in a lithium ion pouch cell, *IEEE SENSORS Proceedings* (2013) 1416-1419. doi:10.1109/ICSENS.2013.6688485
- [185] M. Brand, S. Glaser, J. Geder, S. Menacher, S. Obpacher, A. Jossen, D. Quinger, Electrical safety of commercial Li-ion cells based on NMC and NCA technology compared to LFP technology, *Electric Vehicle Symposium and Exhibition* (2013). doi: 10.1109/EVS.2013.6914893
- [186] R. Arunachala, K. Makinejad, S. Athlekar, A. Jossen, J. Garche, Cycle Life Characterisation of Large Format Lithium-ion Cells, *Electric Vehicle Symposium and Exhibition* (2013). doi:10.1109/EVS.2013.6914865
- [187] N. Martiny, P. Osswald, C. Huber, A. Jossen, Safety Management for Electric Vehicle Batteries in a Tropic Environment, *International Battery, Hybrid and Fuel Cell Electric Vehicle Symposium* (2012) 558-568
- [188] S. Thanagasundram, R. Arunachala, K. Makinejad, T. Teutsch, A. Jossen, A Cell Level Model for Battery Simulation, *European Electric Vehicle Congress* (2012).
- [189] N. Martiny, A. Schwab, E-Mobility for Tropical Megacities, *Journeys* 6 (2011) 16-25.

RP6

- [190] R. Koch, A. Jossen, Temperature Measurement of Large Format Pouch Cells with Impedance Spectroscopy, In *Proceedings of the Electric Vehicle Symposium (EVS28)*, KINTEX, Korea (2015)
- [191] K. Makinejad, R. Arunachala, S. Arnold, H. Ennifar, H. Zhou, A. Jossen, W. Changyun, A Lumped Electro-Thermal Model for Li-Ion Cells in Electric Vehicle Application, In *Proceedings of the Electric Vehicle Symposium (EVS28)*, KINTEX, Korea (2015)
- [192] H. Zhou, C. Huber, Modelling of Battery System with Phase Change Material, In *Proceedings of the International Conference on Materials for Advanced Technologies (ICMAT2015)*, Singapore (2015)
- [193] R. Koch, A. Jossen, Speed Optimized Multisine Stimuli for Electrochemical Impedance Spectroscopy with a Switched Mode Excitation, In *Proceedings of the Vehicle Power and Propulsion Conference, VPPC 2014*, Coimbra, Portugal (2014)
- [194] C. Linse, R. Kuhn, Design of high voltage battery packs, *Advances in battery technologies for electric road and off-road vehicles*, Elsevier, 2014
- [195] C. Huber, R. Kuhn, Thermal management of batteries, *Advances in battery technologies for electric road and off-road vehicles*, Elsevier, 2014
- [196] Hauser, R. Kuhn, High-voltage battery management system, *Advances in battery technologies for electric road and off-road vehicles*, Elsevier, 2014
- [197] Hauser, R. Kuhn, Cell balancing, battery state estimation and safety aspects of BMS, *Advances in battery technologies for electric road and off-road vehicles*, Elsevier, 2014
- [198] E. C. Castillo, J. Garche, Standards for electric vehicle batteries and associated testing procedures, *Advances in battery technologies for electric road and off-road vehicles*, Elsevier, 2014
- [199] R. Koch, I. Zilberman, A. Jossen, Electrochemical impedance spectroscopy for online battery monitoring-power electronics control, In *Proceedings of the 16th European Conference on Power Electronics and Applications Europe*, Lappeenranta, Finland (2014)
- [200] R. Koch, A. Jossen, Impedance spectroscopy for battery monitoring with switched mode amplifiers, In *Proceedings of the 16th International Power Electronics and Motion Control Conference and Exposition*, Antalya, Turkey (2014)
- [201] M. Roscher, R. Kuhn, H. Döring, Error detection for PHEV, BEV and stationary battery systems, *Control Engineering Practice* Volume 21, Issue 11, November 2013, Pages 1481–1487

Cluster B

RP3

- [1] S. Chakraborty, S. Ramesh, Guest Editorial Special Section on Automotive Embedded Systems and Software, *IEEE Trans. on CAD of Integrated Circuits and Systems* 34 (2015) 1701-1703.
- [2] F. Sagstetter, S. Andalam, P. Waszecki, M. Lukasiewicz, H. Staehle, S. Chakraborty, A. Knoll, Schedule Integration Framework for Time-Triggered Automotive Architectures, *Proceedings of the 51st Annual Design and Automation Conference*, (2014) 1-6. doi: 10.1145/2593069.2593211.
- [3] F. Sagstetter, M. Lukasiewicz, S. Chakraborty, Schedule Integration for Time-Triggered Systems, *Proceedings of 18th Asia and South Pacific Design Automation Conference (ASP-DAC)*, (2013) doi:10.1109/ASPDAC.2013.6509558.
- [4] F. Sagstetter, P. Waszecki, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, Multischedule Synthesis for Variant Management in Automotive Time-Triggered Systems, *IEEE Trans. on CAD of Integrated Circuits and Systems* 35 (2016) 637-650. doi: 10.1109/TCAD.2015.2488480.
- [5] F. Sagstetter, M. Lukasiewicz, S. Chakraborty, Generalized Asynchronous Time-Triggered Scheduling for FlexRay, *IEEE Trans. on CAD of Integrated Circuits and Systems* (2016). doi:10.1109/TCAD.2016.2570421.
- [6] F. Sagstetter, M. Lukasiewicz, S. Steinhorst, W. R. Harris, S. Jha, M. Wolf, A. Bouard, T. Peyrin, A. Poschmann, S. Chakraborty, Security Challenges in Automotive Hardware/Software Architecture Design, *Design, Automation and Test in Europe Conference and Exhibition (DATE)*, (2013) doi: 10.7873/DATE.2013.102.
- [7] M. Kauer, S. Steinhorst, D. Goswami, R. Schneider, M. Lukasiewicz, S. Chakraborty, Formal Verification of Distributed Controllers using Time-Stamped Event Count Automata, *Proceedings of 18th Asia and South Pacific Design Automation Conference (ASP-DAC)*, (2013) doi: 10.1109/ASPDAC.2013.6509631.
- [8] M. Kauer, S. Steinhorst, R. Schneider, M. Lukasiewicz, S. Chakraborty, Automata-Theoretic Modeling of Fixed-Priority Non-Preemptive Scheduling for Formal Timing Verification. *Proceedings of 19th Asia and South Pacific Design Automation Conference (ASP-DAC)*, (2014). doi: 10.1109/ASPDAC.2014.6742990.
- [9] M. Kauer, D. Soudbakhsh, D. Goswami, A. M. Annaswamy, S. Chakraborty, Fault-Tolerant Control Synthesis and Verification of Distributed Embedded Systems, *Design, Automation and Test in Europe Conference and Exhibition (DATE)*, (2014). doi: 10.7873/DATE.2014.069
- [10] M. Kauer, S. Narayanaswamy, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, L. Hedrich, Modular System-Level Architecture for Concurrent Cell Balancing. *Proceedings of 50th Annual Design Conference (DAC)*, Article Number 155 (2013). doi: 10.1145/2463209.2488926.
- [11] M. Kauer, S. Narayanaswamy, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, Many-to-Many Active Cell Balancing Strategy Design. *Proceedings of 20th Asia and South Pacific Design Automation Conference (ASP-DAC)*, (2015). doi: 10.1109/ASPDAC.2015.7059016.
- [12] M. Kauer, S. Narayanaswamy, M. Lukasiewicz, S. Steinhorst, S. Chakraborty, Inductor Optimization for Active Cell Balancing using Geometric Programming, *Design, Automation and Test in Europe Conference and Exhibition (DATE)*, (2015). doi: 10.7873/DATE.2015.0051
- [13] M. Kauer, S. Narayanaswamy, S. Steinhorst, S. Chakraborty, Rapid Analysis of Active Cell Balancing Circuits, *IEEE Trans. on CAD of Integrated Circuits and Systems* (2016). doi: 10.1109/TCAD.2016.2597224.
- [14] P. Mundhenk, A. Mrowca, S. Steinhorst, M. Lukasiewicz, S. A. Fahmy, S. Chakraborty, Open Source Model and Simulator for Real-Time Performance Analysis of Automotive Network Security, *ACM SIGBED Review - Special Issue on 8th International Workshop on Compositional Theory and Technology for Real-Time Embedded Systems (CRTS 2015)* 13 (2016) 8-13. doi: 10.1145/2983185.2983186.
- [15] M. Lukasiewicz, P. Mundhenk, S. Steinhorst, Security-aware Obfuscated Priority Assignment for Automotive CAN Platforms, *ACM Transactions on Design Automation of Electronic Systems (TODAES)*, 21 (2016) 1–27, doi: 10.1145/2831232.
- [16] P. Mundhenk, S. Steinhorst, M. Lukasiewicz, S. A. Fahmy, S. Chakraborty, Security Analysis of Automotive Architectures using Probabilistic Model Checking, *Proceedings of the 52nd Design Automation Conference (DAC)*, (2015) 1-6. doi: 10.1145/2744769.2744906.

- [17] P. Mundhenk, S. Steinhorst, M. Lukasiewicz, S. A. Fahmy, S. Chakraborty, Lightweight Authentication for Secure Automotive Networks, Proceedings of the Conference on Design, Automation and Test in Europe (DATE), (2015) 285–288.
- [18] P. Mundhenk, F. Sagstetter, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, Policy-based Message Scheduling Using FlexRay, Proceedings of the 12th International Conference on Hardware/Software Codesign and System Synthesis (CODES+ISSS), Article No. 19 (2014)1–10. doi: 10.1145/2656075.2656094.
- [19] S. Osswald, D. Zehe, P. Mundhenk, P. Sheth, M. Schaller, S. Schickram, D. Gleyzes, HMI Development for a Purpose-Built Electric Taxi in Singapore, Proceedings of the 15th International Conference on Human-Computer Interaction with Mobile Devices and Services (MobileHCI), (2013) 434–439. doi: 0.1145/2493190.2494089.
- [20] M. Lukasiewicz, S. Steinhorst, S. Andalam, F. Sagstetter, P. Waszecki, W. Chang, M. Kauer, P. Mundhenk, S. A. Fahmy, S. Shreejith, S. Chakraborty, System Architecture and Software Design for Electric Vehicles, Proceedings of the 50th Design Automation Conference (DAC 2013), (2013), 1–6. doi: 10.1145/2463209.2488852.
- [21] P. Mundhenk, A. Paverd, A. Mrowca, S. Steinhorst, M. Lukasiewicz, S. A. Fahmy, S. Chakraborty, System Level Design Approaches to Security in Automotive Networks, ACM Transactions on Design Automation of Electronic Systems (TODAES) (2016). [Accepted for publication].
- [22] L. Zhang, D. Roy, P. Mundhenk, S. Chakraborty, Schedule Management Framework for Cloud-based Future Automotive Software Systems, Proceedings of the 22nd IEEE International Conference on Embedded and Real-Time Computing Systems and Applications, (RTCSA 2016), South Korea, 2016. [To Appear]
- [23] W. Chang, D. Roy, L. Zhang, S. Chakraborty, Model-based Design of Resource-Efficient Automotive Software Design. Proceedings of the 35th International Conference on Computer-Aided Design, Article No. 34 (2016). doi: 10.1145/2966986.2980075.
- [24] S. Chakraborty, M. A. Al Faruque, W. Chang, D. Goswami, M. Wolf, Q. Zhu, Automotive Cyber-Physical Systems: A Tutorial Introduction, IEEE Design & Test 33 (2016) 92-108. doi: 10.1109/MDAT.2016.2573598.
- [25] D. Roy, L. Zhang, W. Chang, D. Goswami, S. Chakraborty, Multi-Objective Co-Optimization of FlexRay-Based Distributed Control Systems, IEEE Real-Time and Embedded Technology and Applications Symposium (RTAS) 2016. doi: 10.1109/RTAS.2016.7461344.
- [26] W. Chang, A. Pröbstl, D. Goswami, M. Zamani, S. Chakraborty, Reliable CPS Design for Mitigating Semiconductor and Battery Aging in Electric Vehicles, IEEE 3rd International Conference on Cyber-Physical Systems, Networks, and Applications (CPSNA) (2015). doi: 10.1109/CPSNA.2015.16.
- [27] W. Chang, A. Pröbstl, D. Goswami, M. Zamani, S. Chakraborty, Battery- and Aging-Aware Embedded Control Systems for Electric Vehicles, IEEE Real-Time Systems Symposium (RTSS) (2014). doi: 10.1109/RTSS.2014.24.
- [28] W. Chang, M. Lukasiewicz, S. Steinhorst, S. Chakraborty, Dimensioning and Configuration of EES Systems for Electric Vehicles with Boundary-Conditioned Adaptive Scalarization, International Conference on Hardware/Software Codesign and System Synthesis (2013) doi:10.1109/CODES-ISSS.2013.6659013.
- [29] W. Chang, M. Lukasiewicz, S. Chakraborty, Patch Antenna Design with Improved Sequential Quadratic Programming for Automotive Applications, Proceedings of Asia-Pacific Microwave Conference (2011).
- [30] P. Waszecki, M. Kauer, M. Lukasiewicz, S. Chakraborty, Implicit Intermittent Fault Detection in Distributed Systems, Proceedings of 19th Asia and South Pacific Design Automation Conference (ASPDAC), (2014) doi: 10.1109/ASPDAC.2014.6742964.
- [31] P. Waszecki, M. Lukasiewicz, S. Chakraborty, Multi-Objective Diagnosis of Non-Permanent Faults in Many-Core Systems, Proceedings of Workshop on Architecture of Computing Systems (ARCS) (2014).

- [32] P. Waszecki, M. Lukasiewicz, S. Chakraborty, Decentralized Diagnosis of Permanent Faults in Automotive E/E Architectures, Proceedings of International Conference on Embedded Computer Systems: Architectures, Modeling, and Simulation (SAMOS) (2015). doi:10.1109/SAMOS.2015.7363675.
- [33] P. Waszecki, F. Sagstetter, M. Lukasiewicz, S. Chakraborty, Diagnosis-Aware System Design for Automotive E/E Architectures, 14th International Symposium on Integrated Circuits (ISIC) (2014). doi: 10.1109/ISICIR.2014.7029550.
- [34] P. Waszecki, M. Lukasiewicz, A. Masrur, S. Chakraborty, How to Engineer Tool-Chains for Automotive E/E Architectures?. ACM SIGBED Review - Special Issue on the 5th Workshop on Adaptive and Reconfigurable Embedded Systems, 10 (2013) 6-15. doi: 10.1145/2583687.2583689.
- [35] S. Narayanaswamy, S. Schlueter, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, H. E. Hoster, On Battery Recovery Effect in Wireless Sensor Nodes, ACM Transactions on Design Automation of Electronic Systems (TODAES) 21(2016). doi: 10.1145/2890501.
- [36] S. Narayanaswamy, M. Kauer, S. Steinhorst, M. Lukasiewicz, S. Chakraborty, Modular Active Charge Balancing for Scalable Battery Packs. IEEE Transactions on Very Large Scale Integration Systems (TVLSI) (to appear)
- [37] S. Steinhorst, M. Kauer, A. Meeuw, S. Narayanaswamy, M. Lukasiewicz, S. Chakraborty, Cyber-Physical Co-Simulation Framework for Smart Cells in Scalable Battery Packs. ACM Transactions on Design Automation of Electronic Systems (TODAES), Article No: 62, 21(2016). doi: 10.1145/2891407.
- [38] S. Narayanaswamy, S. Steinhorst, M. Lukasiewicz, M. Kauer, S. Chakraborty, Optimal Dimensioning of Active Cell Balancing Architectures, Proceedings of Design, Automation & Test in Europe (DATE), (2014). doi: 10.7873/DATE.2014.153.
- [39] S. Shreejith, S. A. Fahmy, Extensible FlexRay Communication Controller for FPGA-Based Automotive Systems. IEEE Transactions on Vehicular Technology, 64 (2015) 453-465. doi: 10.1109/TVT.2014.2324532.
- [40] S. Shreejith, S. A. Fahmy, M. Lukasiewicz, Reconfigurable Computing in Next-Generation Automotive Networks, IEEE Embedded Systems Letters, 5 (2013)12-15. Doi: 10.1109/LES.2013.2243698.
- [41] S. Shreejith, S. A. Fahmy, Security aware network controllers for next generation automotive embedded systems, Proc. 52nd Annual Design Automation Conference (DAC), 39 (2015) 1-6. doi: 10.1145/2744769.2744907.
- [42] S. Shreejith, S. A. Fahmy, Zero latency encryption with FPGAs for secure time-triggered automotive networks, International Conference on Field Programmable Technology (FPT), (2014) 256-259. doi: 10.1109/FPT.2014.7082788.
- [43] S. Shreejith, S. A. Fahmy, Enhancing communication on automotive networks using data layer extensions, International Conference on Field Programmable Technology (FPT), (2013) 470-473. doi: 10.1109/FPT.2013.6718417.
- [44] S. Shreejith, S. A. Fahmy, M. Lukasiewicz, Accelerating validation of time-triggered automotive systems on FPGAs, International Conference on Field Programmable Technology (FPT), (2013) 4-11. doi: 10.1109/FPT.2013.6718322.
- [45] S. Shreejith, K. Vipin, S. A. Fahmy, M. Lukasiewicz, An approach for redundancy in FlexRay networks using FPGA partial reconfiguration, Design Automation and Test in Europe Conference (DATE), (2013) 721-724
- [46] W. Chang, D. Goswami, S. Chakraborty, J. Xue, L. Ju, and S. Andalam. Memory-Aware Embedded Control Systems Design. IEEE Trans. CAD of Integrated Circuits and Systems (2016) doi: dx.doi.org/10.1109/TCAD.2016.2613933

RP5

- [47] M. S. D. Ciecchanowicz. Economics of vehicle-to-grid. Sustainable Energy Supply of the Future. Ed. by M. Lienkamp. 2011. URL: <https://mediatum.ub.tum.de/doc/1080142/1080142.pdf>.
- [48] H. Aydt, M. Lees, A. Knoll, Symbiotic simulation for future electro-mobility transportation systems. Proceedings of the 2012 Winter Simulation Conference (WSC), (2012) 1–12. doi: 10.1109/WSC.2012.6465312.
- [49] Y. Xu, H. Aydt, M. Lees, SEMSim: a distributed architecture for multi-scale traffic simulation. Proceedings of the 26th ACM/IEEE/SCS Workshop on Principles of Advanced and Distributed Simulation (PADS), (2012) 178–180. doi: 10.1109/PADS.2012.40.
- [50] H. Aydt, Y. Xu, M. Lees, A. Knoll, A Multi-threaded Execution Model for the Agent-Based SEMSim Traffic Simulation, Proceedings of AsiaSim 2013: 13th International Conference on Systems Simulation, (2013)1–12. doi: 10.1007/978-3-642-45037-2_1.
- [51] D. Ciecchanowicz, H. Aydt, M. Lees, A. Knoll, T. Hamacher, A universal scheme for modeling energy systems. Tech. rep. Technische Universität München, 2013. URL: <https://mediatum.ub.tum.de/doc/1172962/1172962.pdf>.
- [52] M. Wagner, W. Cai, M. H. Lees, Emergence by strategy: Flocking boids and their fitness in relation to model complexity, 2013 Winter Simulations Conference (WSC). (2013)1479–1490. doi: 10.1109/WSC.2013.6721532.
- [53] D. Zehe, H. Aydt, M. Lees, A. Knoll, Javascript distributed agent based discrete event simulation, IEEE/ACM 17th International Symposium on Distributed Simulation and Real Time Applications (DS-RT), (2013) 21–29. doi: 10.1109/DS-RT.2013.11.
- [54] Cai, N. Somani, S. Nair, D. Mendoza, A. Knoll, Uncalibrated stereo visual servoing for manipulators using virtual impedance control, 13th International Conference on Control Automation Robotics Vision (ICARCV), (2014) 1888–1893. doi: 10.1109/ICARCV.2014.7064604.
- [55] M. Hashemi Farzaneh, S. Nair, M. Nasserli, A. Knoll, Reducing communication-related complexity in heterogeneous networked medical systems considering non-functional requirements, 16th International Conference on Advanced Communication Technology (ICACT) (2014) 547–552. doi: 10.1109/ICACT.2014.6779020.
- [56] J. Ivanchev, H. Aydt, A. Knoll, Stochastic bus traffic modelling and validation using smart card fare collection data, 17th International IEEE Conference on Intelligent Transportation Systems (ITSC) (2014) 2054–2061. doi: 10.1109/ITSC.2014.6958006.
- [57] M. Nasserli, P. Gschirr, M. Eder, S. Nair, K. Kobuch, M. Maier, D. Zapp, C. Lohmann, A. Knoll, Virtual Fixture Control of a Hybrid Parallel-Serial Robot for Assisting Ophthalmic Surgery: an Experimental Study, Proceedings of 5th IEEE RAS/EMBS International Conference on Biomedical Robotics and Biomechatronics (Biorob), (2014). doi: 10.1109/BIOROB.2014.6913865.
- [58] D. Pelzer, D. Ciecchanowicz, H. Aydt, A. Knoll, A price-responsive dispatching strategy for Vehicle-to-Grid: An economic evaluation applied to the case of Singapore, J. Power Sour. 256 (2014) 345–353. doi: 10.1016/j.jpowsour.2014.01.076.
- [59] A. Sunderrajan, H. Aydt, A. Knoll, Real time load prediction and outliers detection using storm, Proceedings of the 8th ACM International Conference on Distributed Event-Based Systems. (2014) 294–297. doi: 10.1145/2611286.2611327.
- [60] A. Sunderrajan, H. Aydt, W. Cai, A. Knoll, Map stream: initializing what-if analyses for real-time symbiotic traffic simulations, Proceedings of the Winter Simulation Conference (2014) 2896–2906. doi: 10.1109/WSC.2014.7020130.
- [61] M. Wagner, W. Cai, M. H. Lees, H. Aydt, Evolving Agent-based Models Using Complexification Approach, Procedia Computer Science 29 (2014) 310–321. doi: 10.1016/j.procs.2014.05.028.
- [62] Y. Xu, W. Cai, H. Aydt, M. Lees, Efficient graph-based dynamic load-balancing for parallel large-scale agent-based traffic simulation, Proceedings of the 2014 Winter Simulation Conference, (2014) 3483–3494. doi: 10.1109/WSC.2014.7020180.
- [63] D. Ciecchanowicz, D. Pelzer, A. Knoll, Simulation-based approach for investigating the impact of electric vehicles on power grids, (2016). doi: 10.1109/APPEEC.2015.7381046.

- [64] D. Ciechanowicz, A. Knoll, P. Osswald, D. Pelzer, Towards a business case for vehicle-to-grid maximizing profits in ancillary service markets, *Power Systems* 89 (2015) 203–231. doi: 10.1007/978-981-287-302-6_8.
- [65] M. A. Gutierrez, S. Nair, R. E. Banchs, L. F. D. Enriquez, A. I. Niculescu, A. Vijayalingam. Multi-robot collaborative platforms for humanitarian relief actions. *Humanitarian Technology Conference (R10-HTC)*, (2015) 1–6. doi: 10.1109/R10-HTC.2015.7391867.
- [66] L. F. D. Haro, A. Niculescu, A. Vijayalingam, M. Gutierrez, S. Nair, R. Banchs. The path to success: Failures in rEal Robots (FinE-R). *FinE-R 2015 The path to success: Failures in Real Robots, IROS2015*, (2015). URL: <http://www6.in.tum.de/Main/Publications/Nair2015a.pdf>.
- [67] J. Ivanchev, H. Aydt, A. Knoll, On Identifying Dynamic Intersections in Large Cities. *IEEE 18th International Conference on Intelligent Transportation Systems*, (2015) 2907–2914. doi: 10.1109/ITSC.2015.466.
- [68] J. Ivanchev, H. Aydt, A. Knoll, Spatial and Temporal Analysis of Mismatch between Planned Road Infrastructure and Traffic Demand in Large Cities, *IEEE 18th International Conference on Intelligent Transportation Systems*, (2015)1463–1470. doi: 10.1109/ITSC.2015.239.
- [69] J. Ivanchev, H. Aydt, A. Knoll, Routing Choice Information Maximising Robust Optimal Sensor Placement Against Variations of Traffic Demand Based on Importance of Nodes. Tech. rep. 2015. URL: <http://www6.in.tum.de/Main/Publications/ivanchev15imo.pdf>.
- [70] S. Litescu, V. Viswanathan, M. Lees, A. Knoll, H. Aydt, Information impact on transportation systems, *Journal of Computational Science* 9 (2015) 88 –93. *Computational Science at the Gates of Nature*. doi: 10.1016/j.jocs.2015.04.019.
- [71] P. Ni, H. T. Vo, D. Dahlmeier, W. Cai, J. Ivanchev, H. Aydt. DEPART: Dynamic Route Planning in Stochastic Time-Dependent Public Transit Networks, *18th International Conference on Intelligent Transportation Systems*. (2015) 1672–1677. doi: 10.1109/ITSC.2015.271.
- [72] D. Pelzer, J. Xiao, D. Zehe, M. Lees, A. Knoll, H. Aydt, A Partition-Based Match Making Algorithm for Dynamic Ridesharing. *IEEE Transactions on Intelligent Transportation Systems* 16.5 (2015) 2587–2598. doi: 10.1109/TITS.2015.2413453.
- [73] E. Retamino, S. Nair, A. Vijayalingam, A. Knoll. Architecture and representation for handling dialogues in human-robot interactions. *Asia-Pacific Signal and Information Processing Association Annual Summit and Conference (APSIPA)*, (2015) 676–679. doi: 10.1109/APSIPA.2015.7415356.
- [74] M. Wagner, V. Viswanathan, D. Pelzer, M. Berger, H. Aydt. Cellular Automata-based Anthropogenic Heat Simulation, *Procedia Computer Science* 51 (2015) 2107 – 2116. doi: 10.1016/j.procs.2015.05.480.
- [75] M. Wagner, W. Cai, M. H. Lees, H. Aydt, Evolving agent-based models using self-adaptive complexification, *Journal of Computational Science* 10.0 (2015) doi: 10.1016/j.jocs.2015.03.005.
- [76] Y. Xu, W. Cai, H. Aydt, M. Lees, D. Zehe. An Asynchronous Synchronization Strategy for Parallel Large-scale Agent-based Traffic Simulations. *Proceedings of the 3rd ACM SIGSIM Conference on Principles of Advanced Discrete Simulation*. London, UK: ACM, (2015) 259–269. doi: 10.1145/2769458.2769461.
- [77] D. Zehe, A. Knoll, W. Cai, H. Aydt, Semsim cloud service: Large-scale urban systems simulation in the cloud, *Simulation Modelling Practice and Theory* 58 (2015) 157–171. doi: 10.1016/j.simpat.2015.05.005.
- [78] D. Zehe, D. Grotzky, H. Aydt, W. Cai, A. Knoll. Traffic Simulation Performance Optimization Through Multi-Resolution Modeling of Road Segments. *Proceedings of the 3rd ACM SIGSIM Conference on Principles of Advanced Discrete Simulation*, (2015) 281–288. doi: 10.1145/2769458.2769475.
- [79] D. Zehe, W. Cai, A. Knoll, H. Aydt. Tutorial on a Modeling and Simulation Cloud Service. *Proceedings of the 2015 Winter Simulation Conference*. WSC '15. Huntington Beach, California: IEEE Press, 2015, pp. 103–114. doi: 10.1109/WSC.2015.7408156.
- [80] A. Sunderrajan V. Viswanathan, W. Cai, A. Knoll, Symbiotic traffic simulation framework. Tech. rep. 2016, URL: <https://mediatum.ub.tum.de/doc/1310429/1310429.pdf>.
- [81] R. Bi, J. Xiao, V. Viswanathan, A. Knoll, Influence of Charging Behaviour Given Charging Station Placement at Existing Petrol Stations and Residential Car Park Locations in Singapore, *Procedia Computer Science* 80 (2016) 335–344, doi: 10.1016/j.procs.2016.05.347.
- [82] D. Ciechanowicz, D. Pelzer, B. Bartenschlager, A. Knoll, A Modular Power System Planning and Power Flow Simulation Framework for Generating and Evaluating Power Network Models, *IEEE Transactions on Power Systems* (2016). doi: 10.1109/TPWRS.2016.2602479.
- [83] J. Ivanchev, H. Aydt, A. Knoll, Information Maximizing Optimal Sensor Placement Robust Against Variations of Traffic Demand Based on Importance of Nodes, *IEEE Transactions on Intelligent Transportation Systems* 17 (2016) 714–725. doi: 10.1109/TITS.2015.2481928.

- [84] J. Ivanchev, S. Litescu, D. Zehe, M. Lees, H. Aydt, A. Knoll, Determining the Most Harmful Roads in Search for System Optimal Routing. Tech. rep. Technical University Munich, 2016. URL: <https://mediatum.ub.tum.de/attfile/1292767/incoming/2016-Feb/582743.pdf>.
- [85] S. C. Litescu, V. Viswanathan, H. Aydt, A. Knoll, Information Dynamics in Transportation Systems with Traffic Lights Control. *Procedia Computer Science* 80 (2016) 2019–2029. doi: 10.1016/j.procs.2016.05.522.
- [86] S. C. Litescu, V. Viswanathan, H. Aydt, A. Knoll, The effect of information uncertainty in road transportation systems, *Journal of Computational Science* 16 (2016) 170–176. doi: 10.1016/j.jocs.2016.04.017.
- [87] A. Sunderrajan, V. Viswanathan, W. Cai, A. Knoll, Traffic State Estimation Using Floating Car Data, *Procedia Computer Science* 80 (2016) 2008–2018. doi: 10.1016/j.procs.2016.05.521.
- [88] V. Viswanathan, M. Lees, P. M. A. Sloot, The influence of memory on indoor environment exploration: A numerical study, *Behavior Research Methods* 48 (2016) 621–639. doi: 10.3758/s13428-015-0604-1.
- [89] V. Viswanathan, D. Zehe, J. Ivanchev, D. Pelzer, A. Knoll, H. Aydt, Simulation-assisted exploration of charging infrastructure requirements for electric vehicles in urban environments. *Journal of Computational Science* 12 (2016) 1–10. doi: 10.1016/j.jocs.2015.10.012.
- [90] D. Zehe, V. Viswanathan, W. Cai, A. Knoll, Online Data Extraction for Large-Scale Agent-Based Simulations. *Proceedings of the 2016 annual ACM Conference on SIGSIM Principles of Advanced Discrete Simulation*. (ACM), (2016) 69–78. doi: 10.1145/2901378.2901384.

Cluster C

RP4/9

- [1] S. Schickram, D. Gleyzes, M. Lienkamp, Evaluation of the Electromobility Potential Index and results for 46 major cities, in: 2013 World Electr. Veh. Symp. Exhib., IEEE, 2013: pp. 1–9. doi:10.1109/EVS.2013.6914851.
- [2] S. Schickram, Z. Till, M. Lienkamp, Design of electric Vehicle concepts for Megacities in asia, *Automob. Zeitschrift* . 115 (2013) 24–28.
- [3] A. Schwab, S. Osswald, S. Loehmann, HMI Design for shared-use electric vehicles in Singapore, *Proc. 4th Int. Conf. Automot. User Interfaces Interact. Veh. Appl. (Portsmouth, N.H., USA, 2012)*. (2012) 3–4.
- [4] R. Kochhan, D. Gleyzes, Future Mobility in Tropical Megacities, in: *Sustain. Automot. Technol. 2012*, Springer Berlin Heidelberg, Berlin, Heidelberg, 2012: pp. 245–251. doi:10.1007/978-3-642-24145-1_32.
- [5] P. Sheth, F. Roemer, Rapid Control Prototyping & HIL Test Systems, *Dsp. Mag. Automot. Solut. Syst. Appl.* (2014) 16;20. www.dspace.com.
- [6] S. Loehmann, S. Osswald, D. Gleyzes, K. Bengler, M. Tscheligi, A. Butz, EVIS 2013: 2nd Workshop on Electric Vehicle Information Systems, *Adjun. Proc. 5th Int. Conf. Automot. User Interfaces Interact. Veh. Appl. AutomotiveUI2013*. (2013) 1–3.
- [7] S. Osswald, P. Sheth, M. Tscheligi, Hardware-in-the-loop-based evaluation platform for automotive instrument cluster development (EPIC), in: *Proc. 5th ACM SIGCHI Symp. Eng. Interact. Comput. Syst. - EICS '13*, ACM Press, New York, New York, USA, 2013: p. 323. doi:10.1145/2494603.2480305.
- [8] S. Osswald, D. Zehe, P. Mundhenk, P. Sheth, M. Schaller, S. Schickram, D. Gleyzes, HMI development for a purpose-built electric taxi in Singapore, in: *Proc. 15th Int. Conf. Human-Computer Interact. with Mob. Devices Serv. - MobileHCI '13*, ACM Press, New York, New York, USA, 2013: p. 434. doi:10.1145/2493190.2494089.
- [9] B. Shyrokau, D. Wang, L. Heidrich, K. Hopping, Analysis of subsystems coordination for electric vehicle during straight-line braking and brake-in-turn, in: 2013 IEEE Symp. Comput. Intell. Eng. Solut., IEEE, 2013: pp. 61–67. doi:10.1109/CIES.2013.6611730.
- [10] B. Shyrokau, D. Savitski, D. Wang, V. Ivanov, K. Augsburg, Analysis of coordination and novel blending strategy between friction brake system and electric motors, in: *EuroBrake2013*, Dresden, 2013.
- [11] B. Shyrokau, D. Wang, M. Lienkamp, Integrated Vehicle Dynamics Control Based on Control Allocation With Subsystem Coordination, in: *23rd Int. Symp. Dyn. Veh. Roads Tracks*, Qingdao, China, 2009: pp. 1–10.
- [12] L. Heidrich, B. Shyrokau, D. Savitski, V. Ivanov, K. Augsburg, D. Wang, Hardware-in-the-loop test rig for integrated vehicle control systems, *IFAC Proc. Vol. 46 (2013) 683–688*. doi:10.3182/20130904-4-JP-2042.00027.
- [13] B. Shyrokau, D. Wang, D. Savitski, V. Ivanov, Vehicle dynamics control with energy recuperation based on control allocation for independent wheel motors and brake system, *Int. J. Powertrains*. 2 (2013) 153. doi:10.1504/IJPT.2013.054158.
- [14] B. Shyrokau, D. Wang, Coordination of Steer Angles, Tyre Inflation Pressure, Brake and Drive Torques for Vehicle Dynamics Control, *SAE Int. J. Passeng. Cars - Mech. Syst.* 6 (2013) 2013-01–0712. doi:10.4271/2013-01-0712.
- [15] S. Osswald, S. Loehmann, D. Gleyzes, K. Bengler, A. Butz, M. Tscheligi, Electric Vehicle Information Systems (EVIS): Challenges and Chances of E-Mobility, in: *Adjun. Proc. 4th Int. Conf. Automot. User Interfaces Interact. Veh. Appl. (AutomotiveUI '12)*, , Portsmouth, NH, USA, 2012: pp. 104–105.
- [16] B. Shyrokau, D. Wang, Control Allocation with Dynamic Weight Scheduling for Two-task Integrated Vehicle Control, in: *11th Int. Symp. Adv. Veh. Control*, Seoul, South Korea, 2012: pp. 1–6.
- [17] S. Reiffert, U. Huber, Ein intelligentes Elektrotaxi für tropische Megacities, *Remove Connect. Hybrid-Elektro -Mobilität*. (2014) 14–17. <http://docplayer.org/2661777-Remove-connected-hybrid-elektro-mobilitaet.html>.
- [18] S. Bender, R. Khoo, C. Große, F.M. Wunner, H.W. Ng, M. Lienkamp, Development of a Composite Prototype Vehicle Structure, in: 2015. doi:10.4271/2015-01-0723.

RP7

- [19] A. Desphande, G. A. Ling, A. Goossens, S. Javdani, Biomimicry for coastal eco-cities towards a carbon neutral Dover, UK, LRF Collegium Series 4, (2013). ISBN 9780854329717.
- [20] A. Subiantoro, O. K. Tiow, Expansion Power Work Recovery in Refrigeration Systems, Handbook of research on Advances and Applications in Refrigeration Systems and Technologies, Chapter 19, (2015), 720 – 751. ISBN 9781466683983.
- [21] C. Ostermayr, U. Stimming, Electrocatalytic activity of platinum submonolayers on defect-rich Au(111), Surface Science 631 (2015) 229-234. doi: 10.1016/j.susc.2014.08.019.
- [22] W. Ju, M. Favaro, C. Durante, L. Perini, S. Agnoli, O. Schneider, U. Stimming, G. Granozzi, Pd Nanoparticles deposited on nitrogen-doped HOPG: New Insights into the Pd-catalyzed Oxygen Reduction Reaction, Electrochim. Acta 141 (2014) 89-101. doi: 10.1016/j.electacta.2014.06.141.
- [23] S. S. Pethaiah, M. R. Vishwanathan, M. Ulaganathan, S. H. Chan, Evaluation of impregnated nanocomposite membranes for aqueous methanol electrochemical reforming, Solid State Ionics 283 (2015) 16-20. doi: 10.1016/j.ssi.2015.11.006
- [24] S. S. Pethaiah, M. Ulaganathan, M. R. Vishwanathan, S. H. Chan, Fabrication and electrochemical characterization of Pt–Pd impregnated nanocomposite polymer electrolyte membranes for high concentration DMFCs, RSC Adv. 5 (2015) 981-987. doi: 10.1039/C4RA10197A.
- [25] J. Du, Z. Liu, Y. Wang, C. Wen, An adaptive sliding mode observer for lithium-ion battery state of charge and state of health estimation in electric vehicles, Control. Eng. Pract. 54 (2016) 81-90. doi: 10.1016/j.conengprac.2016.05.014.
- [26] A. Subiantoro, W. K. Keong, O. K. Tiow, Exergy Analysis of the Revolving Vane Compressed Air Engine, Int. J. Rotat. Mach. Article ID 5018467 (2016). doi: 10.1155/2016/5018467.
- [27] A. Subiantoro, O. K. Tiow, Comparison and performance analysis of the novel revolving vane expander design variants in low and medium pressure applications, Energy 78 (2014) 747-757. doi:10.1016/j.energy.2014.10.069.
- [28] M. Metzger, U. Stimming, Energy systems: The importance of energy storage, Energie Technologien und Energiewirtschaft (2013) 63-74.
- [29] J. Kunze, O. Paschos, U. Stimming, Fuel cell comparison to alternate technologies, Encyclopedia of sustainability science and technology, (2012) 3847-3860. doi: 10.1007/978-1-4419-0851-3_157.
- [30] A. Subiantoro, O. K. Tiow, Economic analysis of the application of expanders in medium scale air-conditioners with conventional refrigerants, R1234yf and CO₂, Int.J.Refrig. 36 (2013) 1472 – 1482. doi:10.1016/j.ijrefrig.2013.03.010.
- [31] S. S. Pethaiah, G. P. Kalaigan, G. Sasikumar, M. Ulaganathan, V. Swaminathan, Development of nano-catalyzed membrane for PEM fuel cell applications, J. Solid State Electr. 17 (2013) 2917 – 2925. doi: 10.1007/s10008-013-2211-3.
- [32] S. S. Pethaiah, A. Subiantoro, U. Stimming, The Application of Intermediate Temperature Fuel Cell for the Auxiliary Power Unit of the Air Conditioning System in an Electric Vehicle, ECS Trans. 53 (2013) 3-9. doi: 10.1149/05330.0003ecst.
- [33] B. B. L. Reeb, N. Kluy, O. Schneider, U. Stimming, Ethanol oxidation in direct ethanol fuel cells, 53 (2013) 23-30. doi: 10.1149/05328.0023ecst.
- [34] N. Kluy, B. B. L. Reeb, O. Paschos, F. Maglia, S. Angioni, P. P. Righetti, O. Schneider, U. Stimming, Ammonium polyphosphate based composite electrolytes for intermediate temperature fuel cells, 50 (2013) 1225 – 1261. doi: 10.1149/05002.1255ecst.
- [35] J. Du, Z. Liu, Y. Wang, State of charge estimation for Li-ion battery based on model for extreme learning machine, Control. Eng. Pract. 26 (2014) 11-19. doi: 10.1016/j.conengprac.2013.12.014.
- [36] S. S. Pethaiah, G. Sasikumar, S. H. Chan, U. Stimming, Development of novel cost effective methanol electrolyzer stack with Pt-catalyzed membrane, J. Power Sources 254 (2014) 161 – 167. doi:10.1016/j.jpowsour.2013.12.103.

- [37] Z. Liu, C. Tan, F. Leng, A reliability-based design concept for lithium-ion battery pack in electric vehicles, *Reliab. Eng. Syst. Safe.* 134 (2015) 169-177. doi: 10.1016/j.res.2014.10.010.
- [38] A. Subiantoro, O. K. Tiow, A. Z. Junaidi, Performance and suitability comparisons of some R22 possible substitute refrigerants, *Proceedings of 8th International conference on compressors and their systems* (2013) 67-76. ISBN: 978-1-78242-169-6.
- [39] A. Subiantoro, O. K. Tiow, A comprehensive simulation model of the dynamics of the revolving vane machine, *Proceedings of 8th International conference on compressors and their systems* (2013) 749-758. ISBN: 978-1-78242-169-6.
- [40] Z. Liu, Y. Wang, J. Du, Fuzzy model predictive control of a permanent magnet synchronous motor in electric vehicles, *Proceedings of 10th IEEE conference on Control and Automation* (2013). doi: 10.1109/ICCA.2013.6565084.
- [41] Z. Liu, Y. Wang, J. Du, C. Chen, RBF network-aided adaptive unscented kalman filter for lithium-ion battery SOC estimation in electric vehicles, *Proceedings of 7th IEEE conference on Industrial Electronics and Applications* (2012). doi:10.1109/ICIEA.2012.6360994.

Cluster D

RP8

- [1] X. Feng, H. B. Gooi, S. Chen. An Improved Lithium-ion Battery Model with Temperature Prediction Considering Entropy. Proceedings of the 2012 IEEE PES Innovative Smart Grid Technologies (ISGT) Europe Conference. Berlin, Germany, 2012, pp. 1–8. doi: 10.1109/ISGTEurope.2012.6465668.
- [2] M. Huber, A. E. Trippe, P. Kuhn, T. Hamacher. Effects of Large Scale EV and PV Integration on Power Supply Systems in the Context of Singapore. Proceedings of the 2012 IEEE PES Innovative Smart Grid Technologies (ISGT) Europe Conference. Berlin, Germany, 2012, pp. 1–8. doi: 10.1109/ISGTEurope.2012.6465831.
- [3] M. Wagner, K. Schönsteiner, T. Hamacher. Impacts of Photovoltaics and Electromobility on the Singaporean Energy Sector. Energy Procedia Journal 25 (2012), pp. 126–134. doi: 10.1016/j.egypro.2012.07.017.
- [4] M. Wagner, K. Schönsteiner, T. Hamacher. Model-based Analysis of Singapore's Energy System. Proceedings of the 11th International Conference on Sustainable Energy Technologies. Vancouver, Canada, 2012. doi: 10.1007/978-3-319-07896-0_39.
- [5] D. Tang, P. Wang. Dynamic Electric Vehicle Charging Load Modeling: From Perspective of Transportation. Proceedings of the 2013 Innovative Smart Grid Technologies Conference (ISGT) Europe. 2013. doi: 10.1109/ISGTEurope.2013.6695285.
- [6] A. E. Trippe, T. Massier, T. Hamacher. Optimized Charging of Electric Vehicles with Regard to Battery Constraints – Case Study: Singaporean Car Park. Proceedings of the 2013 IEEE EnergyTech. Cleveland, 2013. doi: 10.1109/EnergyTech.2013.6645338.
- [7] X. Feng, H. B. Gooi, S. Chen. Hybrid Energy Storage With Multimode Fuzzy Power Allocator for PV Systems. IEEE Transactions on Sustainable Energy 5.2 (2014), pp. 389–397. ISSN: 1949-3029. doi: 10.1109/TSTE.2013.2290543.
- [8] D. F. Recalde Melo, L. R. Chang-Chien. Synergistic Control Between Hydrogen Storage System and Offshore Wind Farm for Grid Operation. IEEE Transactions on Sustainable Energy 5.1 (2014), pp. 18–27. doi: 10.1109/TSTE.2013.2272332.
- [9] D. F. Recalde Melo, H. B. Gooi, T. Massier. Charging of Electric Vehicles and Demand Response Management in a Singaporean Car Park. Proceedings of the 49th International Universities' Power Engineering Conference (UPEC). Cluj-Napoca: IEEE, 2014, pp. 1–6. ISBN: 978-1-4799-6556-4. doi: 10.1109/UPEC.2014.6934737.
- [10] B. Reuter, K. Schönsteiner, M. Wagner, D. Gleyzes, T. Massier, T. Hamacher, M. Lienkamp. Life Cycle Greenhouse Gas Analysis for Automotive Applications – A Case Study for Taxis in Singapore. International Journal of Smart Grid and Clean Energy 3.2 (2014), pp. 127–134. doi: 10.12720/sgce.3.2.127-134.
- [11] R. Sellmair, T. Hamacher. Optimization of Charging Infrastructure for Electric Taxis. Transportation Research Record: Journal of the Transportation Research Board 2416 (2014), pp. 82–91. doi: 10.3141/2416-10.
- [12] J. Stich, S. Hanif, T. Massier, T. Hamacher, T. Reindl. Reducing the Residual Power Supply of Singapore with solar PV in Combination with Energy Storage. Proceedings of the 5th International Conference on Sustainable Energy and Environment (SEE 2014). Bangkok, 2014, pp.195–198. doi: 10.14455/JGSEE.res.2014.46.
- [13] D. Tang, P. Wang. Dynamic Modeling of Electric Vehicle Movable Loads based on Driving Pattern Analysis. Proceedings of the 2014 IEEE Power and Energy Society General Meeting. National Harbor, MD: IEEE, 2014. doi: 10.1109/PESGM.2014.6939407.
- [14] D. Tang, P. Wang. Stochastic Modeling of Electric Vehicle Movable Loads: Nodal Impact from Transportation. Proceedings of the 13th International Conference on Probabilistic Methods Applied to Power Systems. Durham: IEEE, 2014. doi: 10.1109/PMAPS.2014.6960647.

- [15] A. E. Trippe, R. Arunachala, T. Massier, A. Jossen, T. Hamacher. Charging Optimization of Battery Electric Vehicles Including Cycle Battery Aging. Proceedings of the 5th IEEE PES Innovative Smart Grid Technologies (ISGT) European 2014 Conference. Istanbul: IEEE, 2014, pp. 1–6. doi: 10.1109/ISGTEurope.2014.7028735.
- [16] M. Wagner, K. Schönsteiner, T. Hamacher. Model-based Analysis of Singapore's Energy System. Progress in Sustainable Energy Technologies: Generating Renewable Energy. Ed. by I. Dincer, A. Midilli, H. Kucuk. Vol. 1. Springer International Publishing, 2014. Chap. 39, pp. 625–637. ISBN: 978–3–319–07895–3. doi: 10.1007/978-3-319-07896-0_39.
- [17] P. Boehme, M. Berger, T. Massier. Estimating the Building Based Energy Consumption as an Anthropogenic Contribution to Urban Heat Islands. Sustainable Cities and Society 19 (2015), pp. 373–384. ISSN: 2210-6707. doi: 10.1016/j.scs.2015.05.006.
- [18] S. Hanif, D. F. Recalde Melo, M. Maasoumy, T. Massier, T. Hamacher, T. Reindl. Model Predictive Control Scheme for investigating Demand Side Flexibility in Singapore. Proceedings of the 50th International Universities Power Engineering Conference (UPEC). Stoke-on-Trent, 2015. doi: 10.1109/UPEC.2015.7339769.
- [19] D. F. Recalde Melo, S. Hanif, T. Massier, H. B. Gooi. Combination of Renewable Generation and Flexible Load Aggregation for Ancillary Services Provision. Proceedings of the 50th International Universities Power Engineering Conference (UPEC). Stoke-on-Trent, 2015. doi: 10.1109/UPEC.2015.7339840.
- [20] J. Stich, T. Massier. Enhancing the Integration of Renewables by Trans-Border Electricity Trade in ASEAN. Proceedings of the 2015 IEEE PES Asia-Pacific Power and Energy Engineering Conference (APPEEC). Brisbane, 2015. doi: 10.1109/APPEEC.2015.7380956.
- [21] D. Tang, P. Wang. Probabilistic Modeling of Nodal Charging Demand Based on Spatial- Temporal Dynamics of Moving Electric Vehicles. IEEE Transactions on Smart Grid 99 (2015), pp. 627–636. ISSN: 1949-3053. doi: 10.1109/TSG.2015.2437415.
- [22] A. E. Trippe, P. Lopez Hidalgo, M. Lienkamp, T. Hamacher. Mobility Model for the Estimation of the Spatiotemporal Energy Demand of Battery Electric Vehicles in Singapore. Proceedings of the 2015 IEEE 18th International Conference on Intelligent Transportation Systems. Las Palmas de Gran Canaria, Spain: IEEE, 2015. doi: 10.1109/ITSC.2015.101.
- [23] S. Hanif, C. Grüntgens, T. Massier, T. Hamacher, T. Reindl. Quantifying the Effect on the Load Shifting Potential of Buildings due to Ancillary Service Provision. Proceedings of the 2016 PES General Meeting. Boston: IEEE, 2016. (in press)
- [24] S. Hanif, D. F. Recalde Melo, M. Maasoumy, T. Massier, T. Hamacher, T. Reindl. Robust Reserve Capacity Provision and Peak Load Reduction from Buildings in Smart Grids. Proceedings of the 2016 PES General Meeting. Boston: IEEE, 2016. (in press)
- [25] D. F. Recalde Melo, A. Trippe, H. B. Gooi, T. Massier. Robust Electric Vehicle Aggregation for Ancillary Service Provision Considering Battery Aging. IEEE Transactions on Smart Grid (2016), pp. 1–10. doi: 10.1109/TSG.2016.2598851.
- [26] K. Schönsteiner, T. Massier, T. Hamacher. Sustainable Transport by Use of Alternative Marine and Aviation Fuels – A Well-to-Tank Analysis to Assess Interactions with Singapore's Energy System. Renewable and Sustainable Energy Reviews 65 (2016), pp. 853–871. doi: 10.1016/j.rser.2016.07.027. (in press)
- [27] K. Siala, J. Stich. Estimation of the PV Potential in ASEAN with a High Spatial and Temporal Resolution. Renewable Energy 88 (2016), pp. 445–456. doi: 10.1016/j.renene.2015.11.061.

RP10

- [28] S. Li, M. Meng, S. H. Lam, Y. D. Wong, Optimal coordination strategy for an integrated multimodal and multioperator transit system: case of Singapore, *J. Urban Plann. Dev.* (IF = 0.809), 142 (2016) 04015016. doi: 10.1061/(ASCE)UP.1943-5444.0000308.
- [29] A. Memon, M. Meng, Y. D. Wong, S. H. Lam, Calibration of a rule-based intelligent network simulation model, *J. Mod. Transport.*, 24 (2016) 48–61. doi: 10.1007/s40534-015-0091-1.
- [30] M. Meng, P. Koh, Y. Wong, Influence of socio-demography and operating streetscape on last-Mile mode choice, *JPT.* (IF = 0.603), 19 (2016) 38–54. doi: 10.5038/2375-0901.19.2.3.
- [31] M. Meng, S. Li, S. H. Lam, Y. D. Wong, Public transit coordination under different strategies between operators, *Models and Technologies for Intelligent Transportation Systems (MT-ITS)*, 2015 International Conference on (2015) 333–339. doi: 10.1109/MTITS.2015.7223276.
- [32] M. Meng, J. Zhang, Y. D. Wong, P. H. Au, Effect of weather conditions and weather forecast on cycling travel behavior in Singapore, *International Journal of Sustainable Transportation.* (IF = 2.548), 10 (2016) 773–780. doi: 10.1080/15568318.2016.1149646.
- [33] M. Meng, A. A. Memon, Y. D. Wong, S. H. Lam, Dynamic interactions between commuters' mode choice behaviour and integrated traveller information, *PROMET.* (IF = 0.270), 27 (2015)doi: 10.7307/ptt.v27i6.1658.
- [34] M. Meng, C. Shao, Y. D. Wong, J. Zhang, Multimodal traffic assignment with traffic emission effects, *Proceedings of the Institution of Civil Engineers - Engineering Sustainability.* (IF = 0.768), 169 (2016) 114–122. doi: 10.1680/jensu.14.00046.
- [35] M. Meng, J. Zhang, Y. D. Wong, Integrated foresight urban planning in Singapore, *Proceedings of the Institution of Civil Engineers - Urban Design and Planning*, 169 (2016) 1–13. doi: 10.1680/udap.14.00061.
- [36] T. Teoh, O. Kunze, C.-C. Teo, Methodology to evaluate the operational suitability of electromobility systems for urban logistics operations, *Tenth International Conference on City Logistics*, 17-19 June 2015, Tenerife, Spain, 12 (2016) 288–300. doi: 10.1016/j.trpro.2016.02.066.
- [37] M. Kümmel, F. Busch, D. Z. Wang, Taxi dispatching and stable marriage, *Procedia Computer Science*, 83 (2016) 163–170. doi: 10.1016/j.procs.2016.04.112.
- [38] R. Riemann, M. Baur, M. Fullerton, Parameter sensitivity analysis of a cooperative system by means of microscopic traffic simulation, *2012 15th International IEEE Conference on Intelligent Transportation Systems - (ITSC 2012)*, 16-19 September 2012, Anchorage, AK, USA 1614–1619. doi: 10.1109/ITSC.2012.6338788.
- [39] R. Riemann, D. Z. Wang, F. Busch, Optimal location of wireless charging facilities for electric vehicles: flow-capturing location model with stochastic user equilibrium, *Transportation Research Part C: Emerging Technologies.* (IF = 3.075), 58 (2015) 1–12. doi: 10.1016/j.trc.2015.06.022.
- [40] Z. Ul Abedin and R. A. Waraich, Modelling inductive charging of battery electric vehicles using an agent-based approach, *J. sustain. dev. energy water environ. syst.*, 2 (2014) 219–233. doi: 10.13044/j.sdewes.2014.02.0018.
- [41] J. S. Yeung and Y. D. Wong, Road traffic accidents in Singapore expressway tunnels, *Tunnelling and Underground Space Technology.* (IF = 1.490), 38 (2013) 534–541. doi: 10.1016/j.tust.2013.09.002.
- [42] J. S. Yeung, Y. D. Wong, H. Xu, Driver perspectives of open and tunnel expressways, *Journal of Environmental Psychology.* (IF = 2.640), 36 (2013) 248–256. doi: 10.1016/j.jenvp.2013.09.002.